



Lloyd's  
Register

## Type Approval Certificate

*This is to certify that the undernoted product(s) has/have been tested with satisfactory results in accordance with the relevant requirements of the Lloyd's Register Type Approval System.*

This certificate is issued to:

<b>PRODUCER</b>	Rittal GmbH & Co. KG Auf dem Stützelberg 35745 Herborn Germany
<b>DESCRIPTION</b>	Empty sheet steel and stainless steel cabinets
<b>TYPE</b>	Series AE Series BG Series EB Series KL
<b>APPLICATION</b>	Marine, offshore and industrial use
<b>SPECIFIED STANDARD</b>	IEC/ EN 62208: 2011
<b>RATINGS</b>	Size (B x H x D) AE up to max. 1400 mm x 1600 mm x 400 mm BG up to max. 800 mm x 300 mm x 155 mm EB up to max. 300 mm x 800 mm x 155 mm KL up to max. 800 mm x 400 mm x 120 mm

<b>Certificate No.</b>	04/20022(E4)
<b>Issue Date</b>	27 August 2019
<b>Expiry Date</b>	24 February 2024
<b>Sheet</b>	1 of 2

Lloyd's Register EMEA  
71 Fenchurch Street, London EC3M 4BS



Jochen Körner  
Hamburg Technical Support Office  
Lloyd's Register EMEA

Lloyd's Register EMEA  
Is a member of Lloyd's Register Group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's  
Register

**PLACES OF  
PRODUCTION**

Rittal RWG GmbH & Co. KG  
Auf dem Stützelberg  
35745 Herborn  
Germany

and

Rittal Corporation  
1 Rittal Place  
Urbana, Ohio 43078  
United States of America

and

Rittal India Private Limited  
Nos. 23 & 24 Kiadb  
Industrial Area  
Veerapura  
Doddaballapur 561 203  
Bangalore District  
India

and

Rittal Hof GmbH & Co. KG  
Industriestraße 24  
56472 Hof  
Germany


*The Type Approval does not eliminate the need for normal inspection and survey procedures required by the Rules and Regulations.*

*If the specified standards are amended during the validity of this certificate, the product is to be re-approved prior to it being supplied to vessels to which the amended standards apply.*

*The Design Appraisal Document No. HTS/ETS 38679-19 and its supplementary Type Approval Terms and Conditions form part of this Certificate.*

**Certificate No.** 04/20022(E4)  
**Issue Date** 27 August 2019  
**Expiry Date** 24 February 2024  
**Sheet** 2 of 2

*Lloyd's Register EMEA  
71 Fenchurch Street, London EC3M 4BS*



Jochen Körner  
Hamburg Technical Support Office  
Lloyd's Register EMEA

Lloyd's Register EMEA  
Is a member of Lloyd's Register Group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

**Part 1**

**Subject: Electrical Equipment (Not Environmentally Tested)**

**Product: Enclosure Systems**

Producer/Licence No.	Description of Product				Cert. No.
	Type	Details of Approval	Application	Remarks	
<b>Rittal GmbH &amp; Co. KG</b> <b>Auf dem Stützelberg</b> <b>35745 Herborn</b> <b>Germany</b>	Series AE	Empty sheet steel and stainless steel cabinets  Size (B x H x D) up to max. 1400 mm x 1600 mm x 400 mm Single door version Degree of protection: IP 66 Single door version: 1032.xxx and 1035.xxx Degree of protection: IP 55 Double door version: IP 55	Marine, offshore and industrial use	Expires: 24 February 2024 Comply with: IEC/EN 62208: 2011	04/20022 (E4)
	Series BG	Size (B x H x D) up to max. 800 mm x 300 mm x 155 mm With viewing window Degree of protection: IP 65  Without viewing window Degree of protection: IP 66  Size (B x H x D) up to max. 600 mm x 200 mm x 123 mm Stainless Steel Degree of protection: IP 66			
	Series EB	Size (B x H x D) up to max. 300 mm x 800 mm x 155 mm Single door version Degree of protection: IP 66 Double door version: IP 55, Category 2			
	Series KL	Size (B x H x D) up to max. 800 mm x 400 mm x 120 mm Without Gland Plate: IP 66 With Gland Plate: IP 55, Category 2			



Jochen Körner  
 Hamburg Technical Support Office  
**Lloyd's Register EMEA**

LR031.1.2016.06