


482.6 mm (19[°]) installation system

Swing frame, small



For 800 mm wide enclosures optionally at the side or in the centre





Height units	3 U	6 U	9 U	12 U	15 U	18 U
Model No. SR	2377.030	2377.060	2377.090	2377.120	2377.150	2377.180
H1 mm	275	408	541	675	808	941
H2 mm	217	350	483	617	750	883
H3 mm	137	270	403	537	670	803

Installation depth T max. = mm for dimension $D^{1)}$ of at least 45 mm


Enclosure width mm	600	800	800	
Internal mounting	Centre	Side	Centre	
Enclosure depth mm 400 500 ≥ 600	1 T max. 185 185 185 185	1 T max. 310 410 500	1 T max. 310 370 370	


⁽¹⁾D = Distance from the inner edge of the door to the front edge of the swing frame may be installed deeper on a 25 mm pitch pattern

482.6 mm (19') installation system

Examples for TS

Partial installation with 600 and 800 mm wide enclosures, each in the uppermost or lowest position.







At the front

Set back

Partial installation, centre

in 600 and 800 mm wide enclosures.





Set back

- 1 Installation kit for swing frame, small
- PS punched sections without mounting flanges 23 x 73 mm to match the enclosure depth in conjunction with 4 support brackets TS 8800.330 (two are included with the supply of the installation kit)

Note:

 Height compensation between the 25 mm pitch pattern of holes in the enclosure and the height units of the swing frame is achieved by the support brackets TS (two are included with the supply of the installation kit)

Side installation

With an enclosure depth of 600 or 800 mm, side installation of a small swing frame is identical to installation parallel to the front. For ease of access to the swing frame, we recommend the hinges for the TS side panel.

