



SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1 Identification of the substance/mixture and of the company/undertaking**
- 1.1 Product identifier**
Trade name: Cooling medium for recooling (Chiller) systems (ready mix 1:4 standard)
Article number: 3301960 / 3301965 / 3301967
- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
Application of the substance / the preparation
Heat transfer fluid
antifreeze
- 1.3 Details of the supplier of the safety data sheet**
Manufacturer/Supplier:
Rittal GmbH & Co. KG
Auf dem Stützelberg
D – 35745 Herborn
Informing department:
Department Marketing, Phone: 02772/505-9052
E-Mail: info@rittal.de
- 1.4 Emergency telephone number:**
00800-5121 5121 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according CLP regulation (Regulation (EC) No. 1272/2008, as amended)

| Hazard class | Hazard category | H-pharse |
|--|-----------------|--|
| Specific target organ toxicity - repeated exposure | Category 2 | May cause damage to organs through prolonged or repeated exposure. |

2.2. Label elements

Labelling according CLP regulation (Regulation (EC) No. 1272/2008, as amended)

Hazard pictograms



Signal word
Warning

Hazard statements
H373

May cause damage to organs through prolonged or repeated exposure.

Precautionary statements
P260
P314
P501

Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Get medical advice/ attention if you feel unwell.
Dispose of contents/ container to an approved waste disposal plant.

2.3. Other hazards

According to the present state of knowledge provided this product is handled correctly, there is no danger to humans or the environment

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Monoethylene glycol (1,2-ethane diol) and corrosion inhibitors in aqueous solution (20% active)

Hazardous ingredients

Ethanediol

Concentration : 19 - 22 %
CAS number : 107-21-1
EC number: 203-473-3
Index Number 603-027-00-1

REACH - Registration number according to article 20(3): 01-2119456816-28, 01-2119456816-28-0000, 01-2119456816-28-0003, 01-2119456816-28-XXXX

GHS classification EC

| | | |
|--|------------|------|
| Specific target organ toxicity - repeated exposure | Category 2 | H373 |
|--|------------|------|



| | | |
|----------------|------------|------|
| Acute toxicity | Category 4 | H302 |
|----------------|------------|------|

The text of the H-phrases is shown in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove/Take off immediately all contaminated clothing.

After inhalation

If inhaled, remove to fresh air.
Get medical advice/ attention.

After contact with skin

In case of contact, immediately flush skin with plenty of water.

After contact with eyes

In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

After ingestion

Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

No symptoms known currently.

Hazards

No hazards known at this time.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Not combustible.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

In case of fires, hazardous combustion gases are formed: Carbon monoxide (CO)
Nitrogen oxides (NOx)

5.3. Advice for firefighters



Special protective equipment for firefighting

Self-contained breathing apparatus

Further information

Wear suitable protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow to enter drains or waterways

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Can be landfilled or incinerated, when in compliance with local regulations.

6.4. Reference to other sections

Additional information

Information regarding Safe handling, see chapter 7.
For personal protection see section 8.
Information regarding Waste Disposal, see chapter 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation.

Hygiene measures

Keep away from food and drink.

Advice on protection against fire and explosion

Not combustible.

7.2. Conditions for safe storage, including any incompatibilities

Further information on storage conditions

Protect from frost.

Storage stability

Storage time: 24 months

7.3. Specific end use(s)

No further recommendations.



SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

ethylene glycol
 EC number: 203-473-3
 CAS number : 107-21-1

| Regulatory basis / Regulatory list | Revision | Type of value | Values | Remarks |
|--|------------|---------------------------|---------------------------------|---------|
| Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values | 2009-12-19 | Limit Value - eight hours | 52 mg/m ³ 20 ppm | |
| Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values | 2009-12-19 | Short term exposure limit | 104 mg/m ³ 40 ppm | |

DNEL/DMEL values

Ethanediol
 EC number: 203-473-3
 CAS number : 107-21-1

| Route of exposure | Personnel | Exposure time/Effect | Value | Remarks |
|-------------------|--------------------|----------------------------|----------------------|---------|
| Dermal | Workers | Long-term systemic effects | 106 mg/kg bw/day | DNEL |
| Inhalation | Workers | Long-term local effects | 35 mg/m ³ | DNEL |
| Dermal | General population | Long-term systemic effects | 53 mg/kg bw/day | DNEL |
| Inhalation | General population | Long-term local effects | 7 mg/m ³ | |

PNEC values

Ethanediol
 EC number: 203-473-3
 CAS number : 107-21-1

| Environmental compartment | Personnel/Exposure time/Effect | Value |
|------------------------------|--------------------------------|------------------------------|
| Fresh water | | 10 mg/l |
| salt water | | 1 mg/l |
| Water (intermittent release) | | 10 mg/l |
| Fresh water sediment | | 20,9 mg/kg dry weight (d.w.) |
| Soil | | 1,53 mg/kg dry weight (d.w.) |
| Sewage treatment plant | | 199,5 mg/l |

8.2. Exposure controls



General protective measures

Do not inhale vapours

Respiratory protection :

Use respiratory protection in case of insufficient exhaust ventilation or prolonged exposure
Full mask to standard DIN EN 136
Filter A (organic gases and vapours) to standard DIN EN 141
The use of filter apparatus presupposes that the environment atmosphere contains at least 17% oxygen by volume, and does not exceed the maximum gas concentration, usually 0.5% by volume. Relevant guidelines to be considered include EN 136/141/143/371/372 as well as other national regulations.

Hand protection :

Long-term exposure
Impervious butyl rubber gloves
Minimum breakthrough time / gloves : 480 min
Minimum thickness / gloves 0,7 mm
For short-term exposure (splash protection):
Nitrile rubber gloves.
Minimum breakthrough time / gloves : 30 min
Minimum thickness / gloves 0,4 mm
These types of protective gloves are offered by various manufacturers. Please note the manufacturers' detailed statements, especially about the minimum thickness and the minimum breakthrough time. Consider also the particular working conditions under which the gloves are being used.

Eye protection :

Safety glasses

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--------------------------|--|
| Physical state : | liquid |
| Form : | Liquid |
| Particle size : : | Not applicable |
| Colour : | light yellow |
| Odour : | slightly perceptible |
| Odour threshold : | not tested. |
| pH value : | approx. 8 (20 °C, 100 g/l) Method : DIN 19268 |
| Melting point : | -11 °C Method : DIN 51583 |
| Boiling point : | 103 °C (1.013 mbar) Method : ASTM D 1120 |



| | |
|--|--|
| Flash point : | Method : ASTM D6450 (closed cup) does not flash |
| Evaporation rate : | Not applicable |
| Lower explosion limit : | not tested. |
| Upper explosive limit : | not tested. |
| Combustion number : | Not applicable |
| Minimum ignition energy : | not tested. |
| Vapour pressure : | < 0,01 kPa (20 °C) Method : Calculated by Syracuse. |
| Vapour density relative to air : | Not applicable |
| Solubility in water : | (20 °C) completely miscible |
| Soluble in ... : | fat not tested. |
| Octanol/water partition coefficient (log Pow) : | Not applicable |
| Ignition temperature : | Method : DIN 51794 Not applicable for Liquids with Flash Point > 70 °C. |
| Self-ignition temperature : | Not applicable |
| Thermal decomposition : | > 250 °C Method : DSC Measurement under nitrogen No decomposition upto 250 °C. |
| Viscosity (dynamic) : | 1,72 mPa.s (20 °C) |
| Viscosity (kinematic) : | 1,68 mm ² /s (20 °C) Method : DIN 51562 |
| Explosive properties : | Explosive according to EU supply regulations : Not explosive Method : Expert judgement |
| Oxidizing properties : | Type of oxidizing effect : The substance or mixture is not classified as oxidizing. Method : Expert judgement |

9.2. Other information

| | |
|--------------------------|--|
| Density : | 1,0259 g/cm ³ (20 °C) Method : DIN 51757 |
| Bulk density : | Not applicable |
| Surface tension : | Not applicable |

SECTION 10: Stability and reactivity



10.1. Reactivity

See section 10.3. "Possibility of hazardous reactions"

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Incompatible with oxidizing agents.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

not known

10.6. Hazardous decomposition products

When handled and stored appropriately, no dangerous decomposition products are known

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Information related to the product itself:

Acute oral toxicity : not tested.
Acute toxicity estimate > 2.000 mg/kg
Method : Calculation method

Acute dermal toxicity : not tested.

Acute inhalation toxicity : not tested.

Irritant effect on skin : not tested.

Irritant effect on eyes : not tested.

Sensitization : not tested.

Repeated dose toxicity: not tested.

Assessment of mutagenicity : No information available.

Assessment of carcinogenicity : No information available.

Assessment of toxicity to reproduction : No information available.

Assessment of teratogenicity : No information available.

Specific target organ toxicity (STOT) - single exposure : not tested.



Specific target organ toxicity (STOT) - repeated exposure : not tested.

Remarks

Kidney injury may occur.
Poisoning affects the central nervous system
The data on toxicology refer to the active ingredient.
The classification was made by the conventional (calculation) method of the CLP Regulation (EC) No 1272/2008.

Information related to the component: Ethanediol

Acute oral toxicity : LD50 22.000 mg/kg (Rat)
Method : Other

Acute dermal toxicity : LD50 > 3.500 mg/kg (Mouse)
Method : Other

Acute inhalation toxicity : LC50 > 2,5 mg/l (6 h, Rat)
Method : Other

Irritant effect on skin : No skin irritation (20 h, Rabbit)
Method : BASF test
Source : European Chemicals Agency (ECHA)

Irritant effect on eyes : non-irritant (24 h, rabbit eye)
Method : BASF test
Source : European Chemicals Agency (ECHA)

Sensitization : Does not cause skin sensitisation. (Guinea pig)
Method : OECD Test Guideline 406
Source : European Chemicals Agency (ECHA)

Repeated dose toxicity: Route of application: oral (feed)
NOAEL: 150 mg/kg (Exposure time : 16 w, Frequency of treatment: daily, Dose: 50 - 150 - 500 - 1000 mg/kg, Rat, male)
Method : OECD Test Guideline 408
Source : European Chemicals Agency (ECHA)
Route of application: Skin contact
NOAEL: ca. 2.200 mg/kg (Exposure time : 4 w, Frequency of treatment: daily, Dose: 0,5 - 2 - 8 ml/kg, Dog, male)
Method : OECD Test Guideline 410
Source : European Chemicals Agency (ECHA)

Genetic toxicity in vivo : Dominant lethal assay
Rat (Fischer F344, male and female)
oral (feed) 3 generation 40 - 200 - 1000 mg/kg
Method : Other
Source : literature
negative



| | |
|--|--|
| Genetic toxicity in vitro : | Test type : Ames test Test system : Salmonella typhimurium Concentration : 33 - 5000 µg/plate Metabolic activation : with and without Result : negative Method : OECD Test Guideline 471 Source : European Chemicals Agency (ECHA) Test type : Ames test Test system : Escherichia coli Concentration : 33 - 5000 µg/plate Metabolic activation : with and without Result : negative Method : OECD Test Guideline 471 Source : European Chemicals Agency (ECHA) |
| Assessment of mutagenicity : | It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests. |
| Assessment of carcinogenicity : | Not classifiable as a human carcinogen. |
| Developmental toxicity/teratogenicity : | Route of application: oral (gavage) NOAEL: 500 mg/kg (Exposure time : gestation day 6-15, Frequency of treatment: daily, Dose: 150 - 500 - 1000 - 2500 mg/kg, Rat) NOAEL (maternal): 1.000 mg/kg (Exposure time : gestation day 6-15, Frequency of treatment: daily, Dose: 150 - 500 - 1000 - 2500 mg/kg, Rat) Method : Other Source : literature |
| Toxicity to reproduction/fertility : | NOAEL parent: > 1.000 mg/kg (Frequency of treatment: daily, Test duration: 3 generations, Dose: 40 - 200 - 1000, Rat, male and female) NOAEL F1: > 1.000 mg/kg (Frequency of treatment: daily, Test duration: 3 generations, Dose: 40 - 200 - 1000, Rat, male and female) NOAEL F2: > 1.000 mg/kg (Frequency of treatment: daily, Test duration: 3 generations, Dose: 40 - 200 - 1000, Rat, male and female) Method : Other Source : literature |
| Assessment of toxicity to reproduction : | No reproductive toxicity to be expected. |
| Assessment of teratogenicity : | No teratogenic effects to be expected. |
| Specific target organ toxicity (STOT) - single exposure : | Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure. |



Specific target organ toxicity (STOT) - repeated exposure : Target organs : Kidney
Assessment : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard :
No aspiration toxicity classification

SECTION 12: Ecological information

12.1. Toxicity

Information related to the product itself:

Fish toxicity : LC0 1.000 mg/l (Leuciscus idus (Golden orfe))
By analogy with a product of similar composition
LL50 > 100 mg/l (96 h, Danio rerio (zebra fish))
Method : OECD Test Guideline 203
By analogy with a product of similar composition

Daphnia toxicity : not tested.

Algae toxicity : not tested.

Bacteria toxicity : not tested.

Information related to the component: Ethanediol

Fish toxicity : LC50 72.860 mg/l (96 h, Pimephales promelas (fathead minnow))
Method : EPA
Source : European Chemicals Agency (ECHA)
The details of the toxic effect relate to the nominal concentration.

Fish toxicity (chronic) : Chronic Toxicity Value 2.629 mg/l (30 d, Fish)
Method : Other
Source : European Chemicals Agency (ECHA)
The details of the toxic effect relate to the nominal concentration.

Daphnia toxicity : EC50 > 100 mg/l (48 h, Daphnia magna (Water flea))
Method : OECD Test Guideline 202
Source : European Chemicals Agency (ECHA)

Daphnia toxicity (chronic) : NOEC 8.590 mg/l (7 d, Ceriodaphnia spec.)
Analytical monitoring : yes
Method : Other
Source : literature
The details of the toxic effect relate to the nominal concentration.



| | |
|---|---|
| Algae toxicity : | EC50 3.536 mg/l (96 h, Chlamydomonas angulosa. Green algae) Method : Estimated (Ecosar) Source : European Chemicals Agency (ECHA) |
| Bacteria toxicity : | EC20 > 1.995 mg/l (0,5 h, activated sludge, domestic) Method : ISO 8192 Source : European Chemicals Agency (ECHA) By analogy with a product of similar composition |
| Toxicity to soil-dwelling organisms : | The study is not necessary from a scientific perspective. |
| Toxicity to terrestrial plants : | The study is not necessary from a scientific perspective. |
| Toxicity to other environmentally relevant organisms : | The study is not necessary from a scientific perspective. |
| Sediment toxicity : | The study is not necessary from a scientific perspective. |

12.2. Persistence and degradability

Information related to the product itself:

| | |
|---------------------------|--|
| Biodegradability : | 90 % Readily biodegradable Method : OECD Test Guideline 302B By analogy with a product of similar composition |
|---------------------------|--|

Information related to the component: Ethanediol

| | |
|---------------------------|--|
| Biodegradability : | 90 - 100 % (10 d, DOC decrease) Readily biodegradable Method : OECD Test Guideline 301A Source : European Chemicals Agency (ECHA) |
|---------------------------|--|

12.3. Bioaccumulative potential

Information related to the product itself:

| | |
|-------------------------|-------------|
| Bioaccumulation: | not tested. |
|-------------------------|-------------|

Information related to the component: Ethanediol

| | |
|-------------------------|---|
| Bioaccumulation: | Due to the low logPow bioaccumulation is not expected |
|-------------------------|---|

12.4. Mobility in soil

Information related to the product itself:

| | |
|--|-------------|
| Transport and distribution between environmental compartments : | not tested. |
|--|-------------|

| | |
|--|-------------------|
| Behaviour in environmental compartments | no data available |
|--|-------------------|



Information related to the component: Ethanediol

Transport and distribution between environmental compartments : Adsorption/Soil (water - soil)
log Koc : 0
Method : other (calculated)
Source : European Chemicals Agency (ECHA)

Behaviour in environmental compartments
not available

12.5. Results of PBT and vPvB assessment

Information related to the product itself:

no data available

Information related to the component: Ethanediol

This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

12.6. Other adverse effects

Information related to the product itself:

Additional ecotoxicological remarks

If handled correctly it causes no disturbance in treatment plants.
Determined in the undiluted form
The classification was made by the conventional (calculation) method of the CLP Regulation (EC) No 1272/2008.

Information related to the component: Ethanediol

Additional ecotoxicological remarks

Do not allow to enter ground water, waterways or waste water.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product

Dispose of in accordance with local regulations.

Uncleaned packaging

Untamminated packaging may be reused
Packaging that cannot be cleaned should be disposed of as product waste

SECTION 14: Transport information

Section 14.1. to 14.5.

| | |
|-----|----------------|
| ADR | not restricted |
| ADN | not restricted |
| RID | not restricted |



IATA not restricted
IMDG not restricted

14.6. Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code (International Bulk Chemicals Code)

No transport as bulk according IBC - Code.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations

Apart from the data/regulations specified in this chapter, no further information is available concerning safety, health and environmental protection.

15.2. Chemical safety assessment

Chemical Safety Assessments (CSAs) are available for one or more of the component substances contained in this product.

SECTION 16: Other information

Observe national and local legal requirements

List of the text of the hazard statements mentioned section 3 (H-phrases) :

H302 Harmful if swallowed.
H373 May cause damage to organs through prolonged or repeated exposure.

Legend

| | |
|--------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| AOX | Adsorbable organic bound halogens |
| CAS | Chemical Abstracts Service |
| DMEL | Derived Minimal Effect Level (genotoxic substances) |
| DNEL | Derived No Effect Level |
| EC50 | Half maximal effective concentration |
| GHS | Globally Harmonized System |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Lethal Concentration 50% |
| LD50 | Lethal Dose 50% |
| MARPOL | International Convention for the Prevention of Pollution From Ships |



| | |
|-------|--|
| NOAEC | No Observed Adverse Effect Concentration |
| NOAEL | No Observed Adverse Effect Level |
| NOEC | Non Observed Effect Concentration |
| OEL | Occupational Exposure Limit |
| PBT | Persistent, Bioaccumulative, Toxic |
| PEC | Predicted Environmental Concentration |
| PNEC | Predicted No Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | International Rule for Transport of Dangerous Substances by Railway |
| SVHC | Substances of Very High Concern |
| vPvB | very Persistent and very Bioaccumulative |

Decimal notation: "thousands" places are identified with a dot (for example, "2.000 mg/kg" means "two thousand mg/kg"). Decimal places are identified with a comma (for example, "1,35 g/cm³" means "one point three five g/cm³").

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.