

Rittal – The System.

Faster – better – everywhere.

CUPONAL busbars – SV 3582.020

Date : Sep 27, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



CUPONAL busbars – SV 3582.020

created: 27.09.2020 on www.rittal.com/com-en



Product description

Description:	Copper-coated aluminium busbars, suitable for configuring busbar systems with busbar supports 9340.000/9340.050.
Material:	Aluminium Copper
Standards:	DIN EN 13 601
Note:	The rated current is derived at 65 °C bar temperature and 35 °C ambient temperature Correction factor diagram to DIN EN 43 671 May be cut individually to required length

Product features

Cross-section E-Cu busbars:	Width: 20 mm Thickness: 5 mm
Dimensions:	Length: 2400 mm
Rated current max.:	235 A
Packs of:	6 pc(s).
Weight/pack:	39 kg
Copper weight (kg per piece):	0.35
EAN:	4028177686557

Customs tariff number:	74071000
ETIM 7.0:	EC001522
ETIM 6.0:	EC001522
eCI@ss 8.0/8.1:	27370303
eCI@ss 6.0/6.1:	27370303
Product description:	SV Busbar CUPONAL, WH: 20x5 mm, L: 2400 mm
Approvals	
Declarations:	Declaration of conformity