

# Rittal – The System.

Faster – better – everywhere.

## Earthquake base/plinth for VX, TS – TS 8601.860

Date : Apr 17, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Earthquake base/plinth for VX, TS – TS 8601.860

created: 17.04.2021 on [www.rittal.com/com-en](http://www.rittal.com/com-en)



## Product description

**Description:** For stable attachment of the earthquake-resistant enclosure to the subsurface. External metric M6 thread for a stable connection to the subsurface from the outside.

**Material:** Corner pieces: Sheet steel 5 mm  
Trim panels: Sheet steel 2 mm

**Surface finish:** Powder-coated

**Colour:** RAL 7022

**Supply includes:** Base/plinth, fully assembled  
4 corner pieces  
2 depth stays  
1 trim panel front/rear

**Note:** Meets earthquake zone 4 to Telcordia GR-63-Core in conjunction with a comfort handle and an earthquake kit.

**To fit Model No.:** 8806.000  
8806.500

**Basic material:** Sheet steel

## Product description

**To fit:** Enclosure type: VX  
Enclosure type: TS  
Width: = 800 mm  
Depth: = 600 mm

<b>Dimensions:</b>	Height: 100 mm
<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	15.9 kg
<b>EAN:</b>	4028177413597
<b>Customs tariff number:</b>	94039010
<b>ETIM 7.0:</b>	EC000721
<b>ETIM 6.0:</b>	EC000721
<b>eCl@ss 8.0/8.1:</b>	27182003
<b>eCl@ss 6.0/6.1:</b>	27182003
<b>Product description:</b>	TS Earthquake base/plinth for TS, H: 100 mm, for WD: 800x600 mm
<b>Approvals</b>	
<b>Certificates:</b>	NA