

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

Issued to: RITTAL GmbH & Co. KG
Auf dem Stuetzelberg Herborn 35745
Germany

**This is to certify that
representative samples of**

FTTA - Environmental-rated Accessories for Enclosures
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 508A, 3rd Ed., Issue Date: 2018-04-24, Revision Date:
2022-07-28, UL 50E, 3rd Ed., Issue Date: 2020-10-15, UL
50, 13th Ed., Issue Date: 2015-10-16, Revision Date: 2020-
10-15

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
8600.255	TS Cable Chamber
8600.265	TS Cable Chamber
8600.455	TS Cable Chamber
8600.465	TS Cable Chamber
8600.510	TS Side Walls for Cable Chamber
8600.520	TS Side Walls for Cable Chamber
8600.655	TS Cable Chamber
8600.665	TS Cable Chamber
8600.855	TS Cable Chamber
8600.865	TS Cable Chamber
8617.500	VX Baying Bracket, Internal
8617.501	VX Baying Block, Internal
8617.502	VX Baying Connector, External
8617.503	VX Baying Connector, External
8618.000	VX Glazed Door
8618.010	VX Glazed Door
8618.020	VX Glazed Door
8618.030	VX Glazed Door
8618.040	VX Glazed Door
8618.050	VX Glazed Door
8618.200, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.201, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.210, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.220, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle, Stainless Steel
8618.230, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.231, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

8618.240, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.250, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.251, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.270, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.280, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Stainless Steel Handle
8618.320	VX 130° Hinges
8618.330	VX 180° Hinges
8618.335	VX 180° Hinge
8618.340	VX 180° Hinges
8618.500, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.501, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.510, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.511, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.520, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.521, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.530, Additional models in between the maximum sizes and minimum sizes can be constructed. The	VX Top Mounting Module

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

model nos. may vary from the above however the constructions shall not change except for size.	
8618.531, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.540, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Side Panel for Top Module
8618.541, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Side Panel for Top Module
8620.000, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.001, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.002, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.003, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.004, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.005, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.006, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.007, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

8620.008, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.009, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.014, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.020, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.021, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.022, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.023, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.024, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.025, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.026, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.027, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.030, Additional models in between the maximum sizes and minimum sizes can be constructed. The	Accessories: Trim Panels, Solid

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services



UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

model nos. may vary from the above however the constructions shall not change except for size.	
8620.031, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.032, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.033, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.034, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.035, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.036, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.037, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.038, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.040, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.041, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.042, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

8620.043, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.044, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.045, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.046, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.047, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.050, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX, Stainless Steel
8620.051, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX, Stainless Steel
8620.052, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Plinth Front/Rear
8620.053, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Plinth Front/Rear
8620.060, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.061, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.062, Additional models in between the maximum sizes and minimum sizes can be constructed. The	Base/Plinth System VX

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

model nos. may vary from the above however the constructions shall not change except for size.	
8620.063, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.070, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.071, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: VX Base/Plinth Sides Solid, Stainless Steel
8620.072, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: VX Base/Plinth Sides Solid, Stainless Steel
8620.080, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: VX Base/Plinth Sides Solid, Stainless Steel
8620.081, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: VX Base/Plinth Sides Solid, Stainless Steel
8620.082, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: VX Base/Plinth Sides Solid, Stainless Steel
8620.090, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Vented
8620.091, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Vented
8620.092, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels with Brush Strip
8620.093, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels with Brush Strip

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

8620.094, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels with Brush Strip
8620.095, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels with Brush Strip
8620.096, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels with Brush Strip
8620.097, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Vented
8620.098, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth Corner VX
8620.099, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth Corner VX
8640.000, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.001, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.002, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.003, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.004, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.005, Additional models in between the maximum sizes and minimum sizes can be constructed. The	Base/Plinth System VX

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

model nos. may vary from the above however the constructions shall not change except for size.	
8640.006, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.007, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.008, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.009, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.014, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.020, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.021, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.022, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.023, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.024, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.025, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

8640.026, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.027, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.030, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.031, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.032, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.033, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.034, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.035, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.036, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.040, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.041, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.042, Additional models in between the maximum sizes and minimum sizes can be constructed. The	Accessories: Trim Panels, Solid

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

model nos. may vary from the above however the constructions shall not change except for size.	
8640.043, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.044, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.045, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.046, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
SV 9682.140	VX Partial Door Kits
SV 9682.141	VX Partial Door Kits
SV 9682.142	VX Partial Door Kits
SV 9682.143	VX Partial Door Kits
SV 9682.144	VX Partial Door Kits
SV 9682.146	VX Partial Door Kits
SV 9682.148	VX Partial Door Kits
SV 9682.150	VX Partial Door Kits
SV 9682.152	VX Partial Door Kits
SV 9682.154	VX Partial Door Kits
SV 9682.156	VX Partial Door Kits
SV 9682.158	VX Partial Door Kits
SV 9682.160	VX Partial Door Kits
SV 9682.161	VX Partial Door Kits
SV 9682.162	VX Partial Door Kits
SV 9682.163	VX Partial Door Kits
SV 9682.164	VX Partial Door Kits
SV 9682.166	VX Partial Door Kits
SV 9682.168	VX Partial Door Kits
SV 9682.170	VX Partial Door Kits
SV 9682.172	VX Partial Door Kits
SV 9682.174	VX Partial Door Kits
SV 9682.176	VX Partial Door Kits
SV 9682.178	VX Partial Door Kits
SV 9682.180	VX Partial Door Kits
SV 9682.181	VX Partial Door Kits
SV 9682.182	VX Partial Door Kits
SV 9682.183	VX Partial Door Kits


 Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L491171-14-10119102-8
Report Reference E491171-20191101
Date 26-Jan-2023

SV 9682.184	VX Partial Door Kits
SV 9682.186	VX Partial Door Kits
SV 9682.188	VX Partial Door Kits
SV 9682.190	VX Partial Door Kits
SV 9682.192	VX Partial Door Kits
SV 9682.194	VX Partial Door Kits
SV 9682.196	VX Partial Door Kits
SV 9682.198	VX Partial Door Kits
SV 9682.314	VX Front Trim Panel Kits, Upper Version
SV 9682.316	VX Front Trim Panel Kits, Upper Version
SV 9682.318	VX Front Trim Panel Kits, Upper Version
SV 9682.324	VX Front Trim Panel Kits, Upper Version
SV 9682.326	VX Front Trim Panel Kits, Upper Version
SV 9682.328	VX Front Trim Panel Kits, Upper Version
SV 9682.334	VX Front Trim Panel Kits, Lower Version
SV 9682.336	VX Front Trim Panel Kits, Lower Version
SV 9682.338	VX Front Trim Panel Kits, Lower Version
SV 9682.344	VX Front Trim Panel Kits, Lower Version
SV 9682.346	VX Front Trim Panel Kits, Lower Version
SV 9682.348	VX Front Trim Panel Kits, Lower Version
SV 9682.354	VX Front Trim Panel Kits, Lower Version with Ventilation Openings
SV 9682.356	VX Front Trim Panel Kits, Lower Version with Ventilation Openings
SV 9682.358	VX Front Trim Panel Kits, Lower Version with Ventilation Openings
SZ 4540.500	SZ Combination Angle for VX Stainless Steel
VX YYYY.YYY where Y can be any number, Article Nos. consist of 7-digit number divided with a dot after the fourth digit and is always preceded by a product group designation.	VX Roof Plate


 Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

Issued to: RITTAL GmbH & Co. KG
Auf dem Stuetzelberg Herborn 35745
Germany

This is to certify that representative samples of FTTA7 - Environmental-rated Accessories for Enclosures Certified for Canada
See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 No. 94.1-15, 2nd Ed., Issue Date: 2015-10-16, Revision Date: 2020-10-15, CSA C22.2 No. 94.2:20, 3rd Ed., Issue Date: 2020-10-15

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
8600.255	TS Cable Chamber
8600.265	TS Cable Chamber
8600.455	TS Cable Chamber
8600.465	TS Cable Chamber
8600.510	TS Side Walls for Cable Chamber
8600.520	TS Side Walls for Cable Chamber
8600.655	TS Cable Chamber
8600.665	TS Cable Chamber
8600.855	TS Cable Chamber
8600.865	TS Cable Chamber
8617.500	VX Baying Bracket, Internal
8617.501	VX Baying Block, Internal
8617.502	VX Baying Connector, External
8617.503	VX Baying Connector, External
8618.000	VX Glazed Door
8618.010	VX Glazed Door
8618.020	VX Glazed Door
8618.030	VX Glazed Door
8618.040	VX Glazed Door
8618.050	VX Glazed Door
8618.200, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.201, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.210, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.220, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle, Stainless Steel
8618.230, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.231, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

8618.240, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.250, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.251, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.270, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Handle
8618.280, Additional models in different colors can be constructed, the model nos. may vary however the construction is the same except for color.	VX Comfort Stainless Steel Handle
8618.320	VX 130° Hinges
8618.330	VX 180° Hinges
8618.335	VX 180° Hinge
8618.340	VX 180° Hinges
8618.500, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.501, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.510, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.511, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.520, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.521, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.530, Additional models in between the maximum sizes and minimum sizes can be constructed. The	VX Top Mounting Module

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

model nos. may vary from the above however the constructions shall not change except for size.	
8618.531, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Top Mounting Module
8618.540, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Side Panel for Top Module
8618.541, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Side Panel for Top Module
8620.000, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.001, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.002, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.003, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.004, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.005, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.006, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.007, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

8620.008, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.009, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.014, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.020, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.021, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.022, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.023, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.024, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.025, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.026, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.027, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.030, Additional models in between the maximum sizes and minimum sizes can be constructed. The	Accessories: Trim Panels, Solid

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

model nos. may vary from the above however the constructions shall not change except for size.	
8620.031, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.032, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.033, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.034, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.035, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.036, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.037, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.038, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.040, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.041, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.042, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

8620.043, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.044, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.045, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.046, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.047, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.050, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX, Stainless Steel
8620.051, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX, Stainless Steel
8620.052, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Plinth Front/Rear
8620.053, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	VX Plinth Front/Rear
8620.060, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.061, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.062, Additional models in between the maximum sizes and minimum sizes can be constructed. The	Base/Plinth System VX

Deborah Jennings-Conner
Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

model nos. may vary from the above however the constructions shall not change except for size.	
8620.063, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8620.070, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8620.071, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: VX Base/Plinth Sides Solid, Stainless Steel
8620.072, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: VX Base/Plinth Sides Solid, Stainless Steel
8620.080, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: VX Base/Plinth Sides Solid, Stainless Steel
8620.081, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: VX Base/Plinth Sides Solid, Stainless Steel
8620.082, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: VX Base/Plinth Sides Solid, Stainless Steel
8620.090, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Vented
8620.091, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Vented
8620.092, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels with Brush Strip
8620.093, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels with Brush Strip

Deborah Jennings-Conner
 Deborah Jennings-Conner, VP Regulatory Services
 UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

8620.094, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels with Brush Strip
8620.095, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels with Brush Strip
8620.096, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels with Brush Strip
8620.097, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Vented
8620.098, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth Corner VX
8620.099, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth Corner VX
8640.000, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.001, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.002, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.003, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.004, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.005, Additional models in between the maximum sizes and minimum sizes can be constructed. The	Base/Plinth System VX

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

model nos. may vary from the above however the constructions shall not change except for size.	
8640.006, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.007, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.008, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.009, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.014, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.020, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.021, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.022, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.023, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.024, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.025, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

8640.026, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.027, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Base/Plinth System VX
8640.030, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.031, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.032, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.033, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.034, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.035, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.036, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.040, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.041, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.042, Additional models in between the maximum sizes and minimum sizes can be constructed. The	Accessories: Trim Panels, Solid

Deborah Jennings-Conner

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

model nos. may vary from the above however the constructions shall not change except for size.	
8640.043, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.044, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.045, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
8640.046, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: Trim Panels, Solid
SV 9682.140	VX Partial Door Kits
SV 9682.141	VX Partial Door Kits
SV 9682.142	VX Partial Door Kits
SV 9682.143	VX Partial Door Kits
SV 9682.144	VX Partial Door Kits
SV 9682.146	VX Partial Door Kits
SV 9682.148	VX Partial Door Kits
SV 9682.150	VX Partial Door Kits
SV 9682.152	VX Partial Door Kits
SV 9682.154	VX Partial Door Kits
SV 9682.156	VX Partial Door Kits
SV 9682.158	VX Partial Door Kits
SV 9682.160	VX Partial Door Kits
SV 9682.161	VX Partial Door Kits
SV 9682.162	VX Partial Door Kits
SV 9682.163	VX Partial Door Kits
SV 9682.164	VX Partial Door Kits
SV 9682.166	VX Partial Door Kits
SV 9682.168	VX Partial Door Kits
SV 9682.170	VX Partial Door Kits
SV 9682.172	VX Partial Door Kits
SV 9682.174	VX Partial Door Kits
SV 9682.176	VX Partial Door Kits
SV 9682.178	VX Partial Door Kits
SV 9682.180	VX Partial Door Kits
SV 9682.181	VX Partial Door Kits
SV 9682.182	VX Partial Door Kits
SV 9682.183	VX Partial Door Kits


 Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L491171-34-10119102-6
Report Reference E491171-20191101
Date 26-Jan-2023

SV 9682.184	VX Partial Door Kits
SV 9682.186	VX Partial Door Kits
SV 9682.188	VX Partial Door Kits
SV 9682.190	VX Partial Door Kits
SV 9682.192	VX Partial Door Kits
SV 9682.194	VX Partial Door Kits
SV 9682.196	VX Partial Door Kits
SV 9682.198	VX Partial Door Kits
SV 9682.314	VX Front Trim Panel Kits, Upper Version
SV 9682.316	VX Front Trim Panel Kits, Upper Version
SV 9682.318	VX Front Trim Panel Kits, Upper Version
SV 9682.324	VX Front Trim Panel Kits, Upper Version
SV 9682.326	VX Front Trim Panel Kits, Upper Version
SV 9682.328	VX Front Trim Panel Kits, Upper Version
SV 9682.334	VX Front Trim Panel Kits, Lower Version
SV 9682.336	VX Front Trim Panel Kits, Lower Version
SV 9682.338	VX Front Trim Panel Kits, Lower Version
SV 9682.344	VX Front Trim Panel Kits, Lower Version
SV 9682.346	VX Front Trim Panel Kits, Lower Version
SV 9682.348	VX Front Trim Panel Kits, Lower Version
SV 9682.354	VX Front Trim Panel Kits, Lower Version with Ventilation Openings
SV 9682.356	VX Front Trim Panel Kits, Lower Version with Ventilation Openings
SV 9682.358	VX Front Trim Panel Kits, Lower Version with Ventilation Openings
SZ 4540.500	SZ Combination Angle for VX Stainless Steel
VX YYYY.YYY where Y can be any number, Article Nos. consist of 7-digit number divided with a dot after the fourth digit and is always preceded by a product group designation.	VX Roof Plate


 Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

