

Certificate of Compliance

Issued to:

RITTAL GmbH & Co. KG
Auf Dem Stutzelberg, Herborn, 35745, DE

This certificate confirms that representative samples of:

FTTA - Environmental-rated Accessories for Enclosures

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 50, 13th Ed., Issue Date: 2015-10-16, Revision Date: 2020-10-15

UL 50E, 3rd Ed., Issue Date: 2020-10-15

UL 508A, 3rd Ed., Issue Date: 2018-04-24, Revision Date: 2022-07-28

UL 50, Edition 14, Issue Date 2024-02-29

UL 50E, Edition 3, Issue Date 2020-10-15, Revision Date 2024-04-30

UL 508A, Edition 3, Issue Date 2018-04-24, Revision Date 2025-06-26

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L491171-14-22119102-14
Report reference: E491171-20191122
Issue Date: 2025-10-23

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L491171-14-22119102-14
Report reference: E491171-20191122
Issue Date: 2025-10-23

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

AX 180° hinges

Model(s): 2449.010

AX Base Plinth

Model(s): 2820.061, 2820.081, 2820.101, 2820.121, 2820.310, 2820.410, 2820.062, 2820.082, 2820.102, 2820.122
Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.

AX Base/plinth elements

Model(s): 2830.310, 2830.410, 2830.320, 2830.420 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

AX Baying Kit

Model(s): 1199.100

AX Comfort Handle

Model(s): 2435.300, 2435.100, 2435.200, 2435.400

AX Eyebolts

Model(s): 2509.010

AX Metal Gland Plate

Model(s): 5051.395, 5051.396, 5051.397, 5051.398, 5051.399, 5051.400, 5051.401 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

AX Metal Gland Plate with metric single ring knockouts

Model(s): 2571.100 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

Model(s): 2572.100, 2573.100, 2574.100, 2575.100, 2576.100, 2577.100 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

AX Plastic Gland Plate - with knockouts

Model(s): 2562.200, 2563.200, 2564.200, 2565.200, 2566.200, 2567.200, 2561.200

AX Plastic Gland Plate - with membrane

Model(s): 2561.300, 2562.300, 2564.300, 2563.300, 2565.300, 2566.300, 2567.300

AX Protection Canopy

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L491171-14-22119102-14

Report reference: E491171-20191122

Issue Date: 2025-10-23

Model(s): 2362.010, 2473.010, 2476.010, 2474.010, 2475.010, 2363.010, 2361.010, 2472.010 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

AX adapter frame

Model(s): SK 3377.800

AX cam lock

Model(s): SZ 2304.100

AX mini-comfort handles

Model(s): 1485.600, 2537.100, 2537.200, 2537.300

Model(s): 2537 or 1485 followed by any alphanumeric combination.

AX protection canopy

Model(s): 2366.010, 2364.010, 2365.010 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

AX, KX Pole Clamps

Model(s): 2584.100 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

AX, KX wall mounting brackets for sheet steel

Model(s): 1590.010, 2508.020, 2503.020

AX, KX wall mounting brackets for stainless steel

Model(s): 1594.010, 2433.010, 2433.510

Accessories: AX Base/plinth trim panels

Model(s): 2830.101, 2830.062, 2830.121, 2830.082, 2830.102, 2830.061, 2830.081, 2830.122 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

Condensate discharge

Model(s): SZ 2459.000

KX Metal Gland Plate

Model(s): 5051.405 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

KX Metal Gland Plate with metric single ring knockouts

Model(s): 1581.200 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

KX cam lock

Model(s): SZ 2309.110

KX cover hinge

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L491171-14-22119102-14
Report reference: E491171-20191122
Issue Date: 2025-10-23

Model(s): 1592.220

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number(s):

UL-CA-L491171-34-
22119102-14

Report Reference:

E491171-20191122

Issue Date:

2025-10-23

Issued to:

RITTAL GmbH & Co. KG
Auf Dem Stutzelberg, Herborn, 35745, DE

This certificate confirms that representative samples of:

FTTA7 - Environmental-rated Accessories for Enclosures
Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 94.2:20, 3rd Ed., Issue Date: 2020-10-15

CSA C22.2 No. 14, Edition 13, Issue Date 2018-03, Revision Date 2022-06

CSA C22.2 No. 94.1:15, 2nd Ed., Issue Date: 2015-10-16,
Revision Date: 2020-10-15

CSA C22.2 No. 94.1, 3rd Ed., Issue Date: 2024-2-29

CSA C22.2 No. 94.2:20, 3rd Ed., Issue Date: 2020-10-15,
Revision Date: 2024-4-30

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L491171-34-22119102-14
Report reference: E491171-20191122
Issue Date: 2025-10-23

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

AX 180° hinges

Model(s): 2449.010

AX Base Plinth

Model(s): 2820.061, 2820.081, 2820.101, 2820.121, 2820.310, 2820.410, 2820.062, 2820.082, 2820.102, 2820.122
Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.

AX Base/plinth elements

Model(s): 2830.310, 2830.410, 2830.320, 2830.420 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

AX Baying Kit

Model(s): 1199.100

AX Comfort Handle

Model(s): 2435.300, 2435.100, 2435.200, 2435.400

AX Eyebolts

Model(s): 2509.010

AX Metal Gland Plate

Model(s): 5051.395, 5051.396, 5051.397, 5051.398, 5051.399, 5051.400, 5051.401 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

AX Metal Gland Plate with metric single ring knockouts

Model(s): 2571.100 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

Model(s): 2572.100, 2573.100, 2574.100, 2575.100, 2576.100, 2577.100 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

AX Plastic Gland Plate - with knockouts

Model(s): 2562.200, 2563.200, 2564.200, 2565.200, 2566.200, 2567.200, 2561.200

AX Plastic Gland Plate - with membrane

Model(s): 2561.300, 2562.300, 2564.300, 2563.300, 2565.300, 2566.300, 2567.300

AX Protection Canopy

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L491171-34-22119102-14

Report reference: E491171-20191122

Issue Date: 2025-10-23

Model(s): 2362.010, 2473.010, 2476.010, 2474.010, 2475.010, 2363.010, 2361.010, 2472.010 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

AX adapter frame

Model(s): SK 3377.800

AX cam lock

Model(s): SZ 2304.100

AX mini-comfort handles

Model(s): 1485.600, 2537.100, 2537.200, 2537.300

Model(s): 2537 or 1485 followed by any alphanumeric combination.

AX protection canopy

Model(s): 2366.010, 2364.010, 2365.010 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

AX, KX Pole Clamps

Model(s): 2584.100 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

AX, KX wall mounting brackets for sheet steel

Model(s): 1590.010, 2508.020, 2503.020

AX, KX wall mounting brackets for stainless steel

Model(s): 1594.010, 2433.010, 2433.510

Accessories: AX Base/plinth trim panels

Model(s): 2830.101, 2830.062, 2830.121, 2830.082, 2830.102, 2830.061, 2830.081, 2830.122 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

Condensate discharge

Model(s): SZ 2459.000

KX Metal Gland Plate

Model(s): 5051.405 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

KX Metal Gland Plate with metric single ring knockouts

Model(s): 1581.200 *Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.*

KX cam lock

Model(s): SZ 2309.110

KX cover hinge

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L491171-34-22119102-14
Report reference: E491171-20191122
Issue Date: 2025-10-23

Model(s): 1592.220

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.