



Lloyd's
Register

DESCRIPTION	Empty sheet steel cabinets
TYPES	Series AE Series BG Series EB Series KL
APPLICATION	Marine, offshore and industrial use
SPECIFIED STANDARD	IEC/ EN 62208: 2011
RATINGS	Size (B x H x D) AE up to max. 1400 mm x 1600 mm x 400 mm BG up to max. 800 mm x 300 mm x 155 mm EB up to max. 300 mm x 800 mm x 155 mm KL up to max. 800 mm x 400 mm x 120 mm

"This Certificate is not valid for equipment, the design, ratings or operating parameters of which have been varied from the specimen tested. The manufacturer should notify Lloyd's Register EMEA of any modification or changes to the equipment in order to obtain a valid certificate."

The Design Appraisal Document No. HTS/ETS 32580-15 and its supplementary Type Approval Terms and Conditions form part of this Certificate.

All other details remain as the previous Certificate No. 04/20022 (E2) to which this extension should be attached.

Certificate No.	04/20022 (E3)
Issue Date	19 October 2015
Expiry Date	24 February 2019
Sheet	2 of 2



Jochen Körner
Hamburg Technical Support Office
Lloyd's Register EMEA

Lloyd's Register EMEA
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register EMEA
Is a subsidiary of Lloyd's Register Group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Lloyd's
Register

Type Approval Certificate Extension

This is to certify that Certificate No. 04/20022 (E2) for the undernoted products is amended and renumbered as shown.

This certificate is issued to:

PRODUCER
Rittal GmbH & Co. KG
Auf dem Stützelberg
35745 Herborn
Germany

PLACE OF PRODUCTION
Rittal GmbH & Co. KG
Auf dem Stützelberg
35745 Herborn
Germany

and

Rittal Corporation
1 Rittal Place
Springfield, OH 45504
United States of America

and

Rittal RGS GmbH
Dietzhölzstrasse
35713 Eschenburg-Wissenbach
Germany

and

Rittal India Private Limited
Nos. 23 & 24 Kiadb
Industrial Area
Veerapura
Doddaballapur 561 203
Bangalore District
India

Certificate No. 04/20022 (E3)
Issue Date 19 October 2015
Expiry Date 24 February 2019
Sheet 1 of 2



Jochen Körner
Hamburg Technical Support Office
Lloyd's Register EMEA

Lloyd's Register EMEA
71 Fenchurch Street, London EC3M 4BS

Lloyd's Register EMEA
Is a subsidiary of Lloyd's Register Group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Part 1
Subject: Electrical Equipment (Not Environmentally Tested)
Product: Enclosure Systems

Producer/Licence No.		Description of Product			Cert. No.
Type	Details of Approval	Application	Remarks		
Rittal GmbH & Co. KG Auf dem Stützelberg 35745 Herborn Germany	Series AE Empty sheet steel cabinets Size (B x H x D) up to max. 1400 mm x 1600 mm x 400 mm Single door version Degree of protection: IP 66 Single door version: 1032.xxx and 1035.xxx Degree of protection: IP 55 Double door version: IP 55	Marine, offshore and industrial use	Expires: 24 February 2019 Comply with: IEC/EN 62208: 2011	04/20022 (E3)	
	Series BG Size (B x H x D) up to max. 800 mm x 300 mm x 155 mm With viewing window Degree of protection: IP 65 Without viewing window Degree of protection: IP 66 Stainless Steel Degree of protection: IP 66 Size (B x H x D) up to max. 600 mm x 200 mm x 123 mm				
	Series EB Single door version Degree of protection: IP 66 Double door version: IP 55, Category 2 Size (B x H x D) up to max. 300 mm x 800 mm x 155 mm				
	Series KL Without Gland Plate: IP 66 With Gland Plate: IP 55, Category 2 Size (B x H x D) up to max. 800 mm x 400 mm x 120 mm				



Jochen Körner
Hamburg Technical Support Office



Lloyd's Register

Lloyd's Register EMEA
00811.2012.12