according to Regulation (EC) No. 1907/2006



Opteon[™] XP10 (R-513A) Refrigerant

Versic 7.1	on	Revision Date: 30.03.2021		DS Number 336496-000		Date of last issue: 09.10.2020 Date of first issue: 27.02.2017
SECT	TION 1	I: Identification of	the	substanc	e/mixt	ure and of the company/undertaking
1.1 Pr	roduct	identifier				
Т	Frade n	ame	:	Opteon™	XP10 (R-513A) Refrigerant
S	SDS-Ide	entcode	:	13000005	51352	
1.2 Re	1.2 Relevant identified uses of the substance or mixture and uses advised against					
		he Sub- Mixture	:	Refrigera	nt	
	Recomr on use	mended restrictions	:	For profes	ssional a	and industrial installation and use only.
1.3 De	etails o	of the supplier of the	e saf	fety data sl	heet	
C	Compai	у	:	Baanhoel	weg 22	rlands B.V. ht Netherlands
Т	Felepho	one	:	+31-(0)-78	8-630-1	011
Т	Felefax		:	+31-78-6′	163737	
		address of person sible for the SDS	:	sds-suppo	ort@che	emours.com
	1.4 Emergency telephone number +(44)-870-8200418 (CHEMTREC - Recommended)					
SECT	TION 2	2: Hazards identific	cati	on		
2.1 CI	lassific	cation of the substar	nce	or mixture		
c	Classification (REGULATION (EC) No 1272/2008)					
G	Gases (under pressure, Lique	fied	gas	H280: heated	Contains gas under pressure; may explode if I.
2.2 La	abel el	ements				
	aballii		C) N	10 1272/20	08)	

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

2

:

Hazard statements

H280 Contains gas under pressure; may explode if heated.

according to Regulation (EC) No. 1907/2006



Opteon[™] XP10 (R-513A) Refrigerant

Version	Revision Date:	SDS Number:	Date of last issue: 09.10.2020
7.1	30.03.2021	1336496-00047	Date of first issue: 27.02.2017

Precautionary statements :

Storage:

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

Additional Labelling

Contains fluorinated greenhouse gases. (HFC-134a)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing.

Misuse or intentional inhalation abuse may cause death without warning symptoms, due to cardiac effects.

Rapid evaporation of the product may cause frostbite. May displace oxygen and cause rapid suffocation.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
2,3,3,3-Tetrafluoropropene#	754-12-1	Flam. Gas 1B; H221	56
	468-710-7	Press. Gas Liquefied	
	01-0000019665-61	gas; H280	
1,1,1,2-Tetrafluoroethane#	811-97-2	Press. Gas Liquefied	44
	212-377-0	gas; H280	
	01-2119459374-33		

Voluntarily-disclosed non-hazardous substance

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
If inhaled	:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

according to Regulation (EC) No. 1907/2006



7.1	Revision Date: 30.03.2021	-	OS Number: 36496-00047	Date of last issue: 09.10.2020 Date of first issue: 27.02.2017	
In case	e of skin contact	:	Thaw frosted part area. Get medical atten	s with lukewarm water. Do not rub affected tion immediately.	
In case	e of eye contact	:	Get medical attention immediately.		
lf swal	llowed	:	Ingestion is not co	onsidered a potential route of exposure.	
4.2 Most in Sympt	nportant symptoms ar coms	nd e :	effects, both acute May cause cardia	-	
			Other symptoms p abuse are Cardiac sensitisat Anaesthetic effect Light-headedness Dizziness confusion Lack of coordinati Drowsiness Unconsciousness	ts S	
			Skin contact may Irritation Swelling of tissue Itching Discomfort Redness	provoke the following symptoms:	
			Eye contact may tearing Redness Discomfort	provoke the following symptoms	
Risks		:		gen available for breathing. d or refrigerated gas can cause cold burns	
4.3 Indicat	ion of any immediate	meo	dical attention and	special treatment needed	
Treatn	nent	:	cholamine drugs,	ble disturbances of cardiac rhythm, cate- such as epinephrine, that may be used in rgency life support should be used with spe-	
SECTION	5: Firefighting meas	sur	es		
-	uishing media Ie extinguishing media	:	Not applicable Will not burn		
Unsuit	able extinguishing	:	Not applicable		

according to Regulation (EC) No. 1907/2006



Opteon[™] XP10 (R-513A) Refrigerant

Ver 7.1	sion	Revision Date: 30.03.2021		OS Number: 36496-00047	Date of last issue: 09.10.2020 Date of first issue: 27.02.2017
	media			Will not burn	
5.2	Special	hazards arising from	the	substance or mix	xture
	Specific fighting	c hazards during fire-	:		pustion products may be a hazard to health. rises there is danger of the vessels bursting apor pressure.
	Hazard ucts	ous combustion prod-	:	Hydrogen fluoride Fluorine compour Carbon oxides carbonyl fluoride	
5.3	Advice	for firefighters			
	Special for firef	protective equipment ighters	:		ed breathing apparatus for firefighting if nec- onal protective equipment.
	Specific ods	c extinguishing meth-	:	cumstances and t Fight fire remotely Use water spray t	measures that are appropriate to local cir- he surrounding environment. due to the risk of explosion. o cool unopened containers. ged containers from fire area if it is safe to do

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Evacuate personnel to safe areas. Avoid skin contact with leaking liquid (danger of frostbite). Ventilate the area. Follow safe handling advice (see section 7) and personal pro- tective equipment recommendations (see section 8).
6.2 Environmental precautions		
Environmental precautions	:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.
6.3 Methods and material for con	tai	nment and cleaning up
Methods for cleaning up	:	Ventilate the area. Local or national regulations may apply to releases and dis- posal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter- mine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

according to Regulation (EC) No. 1907/2006



Opteon[™] XP10 (R-513A) Refrigerant

Version	Revision Date:	SDS Number:	Date of last issue: 09.10.2020
7.1	30.03.2021	1336496-00047	Date of first issue: 27.02.2017

SECTION 7: Handling and storage

7.1 Precautions for safe handling Use equipment rated for cylinder pressure. Use a backflow Technical measures preventative device in piping. Close valve after each use and when empty. Local/Total ventilation Use only with adequate ventilation. Advice on safe handling Avoid breathing gas. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Wear cold insulating gloves/ face shield/ eye protection. Valve protection caps and valve outlet threaded plugs must remain in place unless container is secured with valve outlet piped to use point. Use a check valve or trap in the discharge line to prevent hazardous back flow into the cylinder. Prevent backflow into the gas tank. Use a pressure reducing regulator when connecting cylinder to lower pressure (<3000 psig) piping or systems. Close valve after each use and when empty. Do NOT change or force fit connections. Prevent the intrusion of water into the gas tank. Never attempt to lift cylinder by its cap. Do not drag, slide or roll cylinders. Use a suitable hand truck for cylinder movement. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment. If exposure to chemical is likely during typical use, provide eye Hygiene measures flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage Cylinders should be stored upright and firmly secured to preareas and containers vent falling or being knocked over. Separate full containers from empty containers. Do not store near combustible materials. Avoid area where salt or other corrosive materials are present. Keep in properly labelled containers. Keep in a cool, well-ventilated place. Keep away from direct sunlight. Store in accordance with the particular national regulations. Do not store with the following product types: Advice on common storage Self-reactive substances and mixtures Organic peroxides Oxidizing agents Flammable liquids

according to Regulation (EC) No. 1907/2006



Opteon[™] XP10 (R-513A) Refrigerant

Version 7.1	Revision Date: 30.03.2021		DS Number: 36496-00047	Date of last issue: 09.10.2020 Date of first issue: 27.02.2017
			Substances and i flammable gases Explosives Acutely toxic subs	s stances and mixtures mixtures, which in contact with water, emit
Stora	age period	:	> 10 yr	
Reco pera	ommended storage tem- ture	:	< 52 °C	
	ner information on stor- stability	:	The product has a	an indefinite shelf life when stored properly.
7.3 Spec	ific end use(s)			

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis	
		of exposure)			
1,1,1,2-	811-97-2	TWA	1,000 ppm	GB EH40	
Tetrafluoroethane			4,240 mg/m3		
	Further information: Where no specific short-term exposure limit is listed, a				
	figure three times the long-term exposure limit should be used.				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
2,3,3,3- Tetrafluoropropene	Workers	Inhalation	Long-term systemic effects	950 mg/m3
1,1,1,2- Tetrafluoroethane	Workers	Inhalation	Long-term systemic effects	13936 mg/m3
	Consumers	Inhalation	Long-term systemic effects	2476 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,3,3,3-Tetrafluoropropene	Fresh water	0.1 mg/l
	Intermittent use/release	1 mg/l
	Fresh water sediment	1.77 mg/kg dry
		weight (d.w.)
	Soil	1.54 mg/kg dry

according to Regulation (EC) No. 1907/2006



Opteon[™] XP10 (R-513A) Refrigerant

- /		
7.1 30.03.202	1 1336496-000	D47 Date of first issue: 27.02.2017

		weight (d.w.)
	Marine water	0.01 mg/l
	Marine sediment	0.178 mg/kg dry weight (d.w.)
1,1,1,2-Tetrafluoroethane	Fresh water	0.1 mg/l
	Marine water	0.01 mg/l
	Intermittent use/release	1 mg/l
	Fresh water sediment	0.75 mg/kg dry weight (d.w.)
	Sewage treatment plant	73 mg/l

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Eye protection	:	Wear the following personal protective equipment: Chemical resistant goggles must be worn. Face-shield Equipment should conform to BS EN 166
Hand protection Material	:	Low temperature resistant gloves
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub- stance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufactur- er. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the product. Change gloves often!
Skin and body protection	:	Skin should be washed after contact.
Respiratory protection	:	If adequate local exhaust ventilation is not available or expo- sure assessment demonstrates exposures outside the rec- ommended guidelines, use respiratory protection. Equipment should conform to BS EN 14387
Filter type	:	Organic gas and low boiling vapour type (AX)
Protective measures	:	Wear cold insulating gloves/ face shield/ eye protection.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	. ,	:	Liquefied gas
Colour		:	colourless

according to Regulation (EC) No. 1907/2006



Opteon[™] XP10 (R-513A) Refrigerant

/ersion .1	Revision Date: 30.03.2021		S Number: 36496-00047	Date of last issue: 09.10.2020 Date of first issue: 27.02.2017
Odou	ır	:	slight, ether-like	
Odou	ır Threshold	:	No data availabl	е
рΗ		:	No data availabl	e
Meltir	ng point/freezing point	:	No data availabl	e
Initial range	boiling point and boiling	:	-29.2 °C	
Flash	n point	:	Not applicable	
Evap	oration rate	:	> 1 (CCL4=1.0)	
Flam	mability (solid, gas)	:	Will not burn	
Burni	ing rate	:	15 mm/s	
	er explosion limit / Upper nability limit	:	Upper flammabi Method: ASTM I None.	
	er explosion limit / Lower nability limit	:	Lower flammabi Method: ASTM I None.	
Vapo	our pressure	:	7,063.6 hPa (25	°C)
Relat	ive vapour density	:	3.83 (Air = 1.0)	
Relat	ive density	:	1.17 (25 °C)	
	bility(ies) /ater solubility	:	No data availabl	e
	ion coefficient: n- nol/water	:	Not applicable	
Auto-	ignition temperature	:	No data availabl	e
Deco	mposition temperature	:	No data availabl	e
Visco Vi	osity scosity, kinematic	:	Not applicable	
Explo	osive properties	:	Not explosive	
Oxidi	zing properties	:	The substance of	or mixture is not classified as oxidizing.

9.2 Other information

according to Regulation (EC) No. 1907/2006



Opteon[™] XP10 (R-513A) Refrigerant

Version 7.1	Revision Date: 30.03.2021	SDS Number: 1336496-00047	Date of last issue: 09.10.2020 Date of first issue: 27.02.2017
Partic	ele size	: Not applicable)
SECTION	10: Stability and	reactivity	
10.1 Reac Not cl	tivity lassified as a reactivit	y hazard.	
10.2 Chen	nical stability	-	
	e if used as directed.	Follow precautionary a	dvice and avoid incompatible materials and
10.3 Poss	ibility of hazardous	reactions	
Haza	rdous reactions	: Can react with	n strong oxidizing agents.
10.4 Cond	litions to avoid		
Cond	itions to avoid	100 °C (212 ° of this substar pressure and/ presence of a come combus gen concentra containing this gen enriched the inter-relati and 3) the pro substance sho mospheric pre enriched envir	e is not flammable in air at temperatures up to F) at atmospheric pressure. However, mixtures nee with high concentrations of air at elevated or temperature can become combustible in the n ignition source. This substance can also be- tible in an oxygen enriched environment (oxy- tions greater than that in air). Whether a mixture is substance and air, or this substance in an oxy atmosphere become combustible depends on onship of 1) the temperature 2) the pressure, portion of oxygen in the mixture. In general, this build not be allowed to exist with air above at- essure or at high temperatures; or in an oxygen ronment. For example this substance should d with air under pressure for leak testing or other and sparks.
10.5 Incor	npatible materials		
	ials to avoid	Incompatible	

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of	:	Inhalation
exposure		Skin contact

according to Regulation (EC) No. 1907/2006



/ersion 7.1	Revision Date: 30.03.2021	SDS Number: 1336496-00047	Date of last issue: 09.10.2020 Date of first issue: 27.02.2017
		Eye contact	
Not cl	e toxicity assified based on avail ponents:	able information.	
	3-Tetrafluoropropene inhalation toxicity	: LC50 (Rat): Exposure tir Test atmosp Method: OE No observe Test atmosp Remarks: C Lowest obse 120000 ppn Test atmosp	ohere: gas CD Test Guideline 403 d adverse effect concentration (Dog): 120000 ppr ohere: gas ardiac sensitisation erved adverse effect concentration (Dog): >
		Cardiac sen Test atmosp	sitisation threshold limit (Dog): > 559,509 mg/m3
	2-Tetrafluoroethane: oral toxicity	: Assessmen icity	t: The substance or mixture has no acute oral to
Acute	inhalation toxicity	Exposure tir Test atmosp	
		Test atmosp	d adverse effect concentration (Dog): 40000 ppm ohere: gas ardiac sensitisation
		ppm Test atmosp	erved adverse effect concentration (Dog): 80000 ohere: gas May cause cardiac arrhythmia.
		Test atmosp	sitisation threshold limit (Dog): 334,000 mg/m3 bhere: gas May cause cardiac arrhythmia.
Acute	dermal toxicity	: Assessmen toxicity	t: The substance or mixture has no acute dermal

according to Regulation (EC) No. 1907/2006



Opteon™ XP10 (R-513A) Refrigerant

rsion	Revision Date: 30.03.2021		S Number: 36496-00047	Date of last issue: 09.10.2020 Date of first issue: 27.02.2017
-	corrosion/irritation			
Not cl	assified based on avai	lable i	information.	
<u>Com</u>	oonents:			
2,3,3,	3-Tetrafluoropropene	:		
Resul	lt	:	No skin irritation	
1,1,1,	2-Tetrafluoroethane:			
Resul	lt	:	No skin irritation	
	us eye damage/eye ir lassified based on avai			
<u>Comp</u>	oonents:			
2,3,3,	3-Tetrafluoropropene	:		
Resul	lt	:	No eye irritation	
1,1,1,	2-Tetrafluoroethane:			
Resul	t	:	No eye irritation	
Resp	iratory or skin sensiti	satio	n	
Skin	sensitisation			
Not cl	assified based on avai	lable i	information.	
		lable i	information.	
Resp	assified based on avai iratory sensitisation assified based on avai			
Resp Not cl	iratory sensitisation			
Resp Not cl <u>Com</u> p	iratory sensitisation assified based on avai	lable i		
Resp Not cl <u>Comp</u> 2,3,3,	iratory sensitisation assified based on avai conents:	lable i		
Resp Not cl <u>Comp</u> 2,3,3,	iratory sensitisation lassified based on avai <u>conents:</u> 3-Tetrafluoropropene sure routes	lable i	information.	
Resp Not cl Comp 2,3,3, Expos Resul	iratory sensitisation lassified based on avai <u>conents:</u> 3-Tetrafluoropropene sure routes	lable i	information. Skin contact	
Resp Not cl Comp 2,3,3, Expos Resul 1,1,1, Expos	iratory sensitisation lassified based on avai <u>conents:</u> 3-Tetrafluoropropene sure routes It 2-Tetrafluoroethane: sure routes	lable i	information. Skin contact negative Skin contact	
Resp Not cl Comp 2,3,3, Expos Resul 1,1,1,	iratory sensitisation lassified based on avai <u>conents:</u> 3-Tetrafluoropropene sure routes It 2-Tetrafluoroethane: sure routes	lable i	information. Skin contact negative	
Resp Not cl Comp 2,3,3, Expos Resul 1,1,1, Expos Resul	iratory sensitisation lassified based on avai <u>conents:</u> 3-Tetrafluoropropene sure routes It 2-Tetrafluoroethane: sure routes	lable i	information. Skin contact negative Skin contact	
Resp Not cl Comp 2,3,3, Expos Resul 1,1,1, Expos Resul Expos Speci	iratory sensitisation lassified based on avai <u>ponents:</u> 3-Tetrafluoropropene sure routes It 2-Tetrafluoroethane: sure routes It sure routes es	lable i	Skin contact negative Skin contact negative	
Resp Not cl Comp 2,3,3, Expos Resul 1,1,1, Expos Resul Expos	iratory sensitisation lassified based on avai <u>ponents:</u> 3-Tetrafluoropropene sure routes It 2-Tetrafluoroethane: sure routes It sure routes es	lable i	information. Skin contact negative Skin contact negative Inhalation	
Resp Not cl Comp 2,3,3, Expos Resul 1,1,1, Expos Resul Expos Speci Resul	iratory sensitisation lassified based on avai <u>conents:</u> 3-Tetrafluoropropene sure routes It 2-Tetrafluoroethane: sure routes It sure routes es It	lable i	Skin contact negative Skin contact negative Inhalation Rat negative	
Resp Not cl Comp 2,3,3, Expos Resul 1,1,1, Expos Resul Expos Speci Resul	iratory sensitisation lassified based on avai <u>ponents:</u> 3-Tetrafluoropropene sure routes It 2-Tetrafluoroethane: sure routes lt sure routes es lt sure routes	lable i	information. Skin contact negative Skin contact negative Inhalation Rat	

Germ cell mutagenicity

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



Vers 7.1	sion	Revision Date: 30.03.2021	-	0S Number: 36496-00047	Date of last issue: 09.10.2020 Date of first issue: 27.02.2017
	Compo	onents:			
		•Tetrafluoropropene: xicity in vitro	:	Test Type: Bacter Method: OECD To Result: positive	ial reverse mutation assay (AMES) est Guideline 471
				Test Type: Chrom Method: OECD To Result: negative	osome aberration test in vitro est Guideline 473
	Genoto	xicity in vivo	:	Test Type: Mamm cytogenetic assay Species: Mouse Application Route Method: OECD To Result: negative	inhalation (gas)
				Test Type: In vivo Species: Rat Application Route Method: OECD To Result: negative	
				Test Type: Mamm cytogenetic assay Species: Rat Application Route Method: OECD To Result: negative	inhalation (gas)
	Germ c sessme	ell mutagenicity- As- ent	:	Weight of evidenc cell mutagen.	e does not support classification as a germ
	1,1,1,2	Tetrafluoroethane:			
	Genoto	xicity in vitro	:	Test Type: Bacter Method: OECD To Result: negative	ial reverse mutation assay (AMES) est Guideline 471
				Test Type: Chrom Method: OECD To Result: negative	osome aberration test in vitro est Guideline 473
	Genoto	xicity in vivo	:	Test Type: Mamm cytogenetic assay Species: Mouse Application Route Method: OECD To Result: negative	inhalation (gas)
				Test Type: Unsch mammalian liver o Species: Rat	eduled DNA synthesis (UDS) test with cells in vivo

according to Regulation (EC) No. 1907/2006



ersion 1	Revision Date: 30.03.2021		OS Number: 36496-00047	Date of last issue: 09.10.2020 Date of first issue: 27.02.2017
				te: inhalation (gas) Test Guideline 486 e
Germ sessn	cell mutagenicity- As- nent	:	Weight of evide cell mutagen.	nce does not support classification as a germ
	nogenicity assified based on availa	able	information.	
<u>Com</u>	oonents:			
2,3,3,	3-Tetrafluoropropene:	:		
Resu		:	negative	
Carcii ment	nogenicity - Assess-	:	Weight of evide cinogen	nce does not support classification as a car-
1,1,1,	2-Tetrafluoroethane:			
Speci		:	Rat	
	cation Route sure time	÷	inhalation (gas) 2 Years	
Metho		÷	OECD Test Gui	deline 453
Resu	t	:	negative	
Carcii ment	nogenicity - Assess-	:	Weight of evide cinogen	nce does not support classification as a car-
-	oductive toxicity lassified based on availa	able	information.	
_	oonents:			
2,3,3,	3-Tetrafluoropropene:	:		
	s on fertility	:	Species: Rat Application Rou	-generation reproduction toxicity study te: inhalation (gas) Test Guideline 416
Effect ment	s on foetal develop-	:	Species: Rat Application Rou	atal development toxicity study (teratogenici te: inhalation (gas) Test Guideline 414 e
Repro sessn	oductive toxicity - As- nent	:		nce does not support classification for repro- No effects on or via lactation
	2 Totrofluoroothono.			
1,1,1,	2-Tetrafluoroethane:			

according to Regulation (EC) No. 1907/2006



rsion I	Revision Date: 30.03.2021	-	9S Number: 36496-00047	Date of last issue: 09.10.2020 Date of first issue: 27.02.2017
			Result: negative	
Effec ment	ts on foetal develop-	:		
Repro sessr	oductive toxicity - As- nent	:	Weight of evidence ductive toxicity	e does not support classification for repro-
	「- single exposure			
Not c	lassified based on availa	able	information.	
<u>Com</u>	ponents:			
2,3,3,	3-Tetrafluoropropene:			
	sure routes ssment	:	inhalation (gas) No significant hea tions of 20000 pp	lth effects observed in animals at concentr mV/4h or less
1,1,1,	2-Tetrafluoroethane:			
	sure routes ssment	:	inhalation (gas) No significant hea tions of 20000 pp	lth effects observed in animals at concentr mV/4h or less
	- repeated exposure lassified based on availa	able	information.	
Not c	· · ·	able	information.	
Not c <u>Com</u>	lassified based on availa		information.	
Not c <u>Com</u> 2,3,3, Expos	lassified based on availa ponents:		inhalation (gas)	
Not c <u>Com</u> 2,3,3, Expo Asses	lassified based on availa ponents: 3-Tetrafluoropropene: sure routes ssment		inhalation (gas) No significant hea	
Not c <u>Com</u> 2,3,3, Expo Asses 1,1,1,1	lassified based on availa ponents: 3-Tetrafluoropropene: sure routes		inhalation (gas) No significant hea	
Not c <u>Com</u> 2,3,3, Expo Asses 1,1,1,1, Expo	lassified based on availa ponents: ,3-Tetrafluoropropene: sure routes ssment ,2-Tetrafluoroethane:		inhalation (gas) No significant hea tions of 250 ppm inhalation (gas)	//6h/d or less. Ith effects observed in animals at concentr
Not c <u>Com</u> 2,3,3, Expo: Asses 1,1,1,1, Expo: Asses	lassified based on availa ponents: ,3-Tetrafluoropropene: sure routes ssment ,2-Tetrafluoroethane: sure routes		inhalation (gas) No significant hea tions of 250 ppm inhalation (gas) No significant hea	//6h/d or less. Ith effects observed in animals at concentr
Not c <u>Com</u> 2,3,3, Expo Asses 1,1,1,1, Expo Asses Repe	lassified based on availa ponents: 3-Tetrafluoropropene: sure routes ssment 2-Tetrafluoroethane: sure routes ssment		inhalation (gas) No significant hea tions of 250 ppm inhalation (gas) No significant hea	//6h/d or less. Ith effects observed in animals at concentr
Not c <u>Com</u> 2,3,3, Expo: Asses 1,1,1,1, Expo: Asses Repe <u>Com</u>	lassified based on availa ponents: 3-Tetrafluoropropene: sure routes ssment 2-Tetrafluoroethane: sure routes ssment ated dose toxicity	:::::::::::::::::::::::::::::::::::::::	inhalation (gas) No significant hea tions of 250 ppm inhalation (gas) No significant hea	//6h/d or less. Ith effects observed in animals at concentr
Not c <u>Com</u> 2,3,3, Expos Asses 1,1,1, Expos Asses Repe <u>Com</u> 2,3,3, Speci	lassified based on availa ponents: 3-Tetrafluoropropene: sure routes ssment 2-Tetrafluoroethane: sure routes ssment ated dose toxicity ponents: 3-Tetrafluoropropene: ies	:::::::::::::::::::::::::::::::::::::::	inhalation (gas) No significant heations of 250 ppm inhalation (gas) No significant heations of 250 ppm Rat, male and fer	//6h/d or less. Ith effects observed in animals at concentr //6h/d or less.
Not c <u>Com</u> 2,3,3, Expo: Asses 1,1,1,1, Expo: Asses Repe <u>Com</u> 2,3,3, Speci NOAE	lassified based on availa ponents: 3-Tetrafluoropropene: sure routes ssment 2-Tetrafluoroethane: sure routes ssment ated dose toxicity ponents: 3-Tetrafluoropropene: ies EL	:::::::::::::::::::::::::::::::::::::::	inhalation (gas) No significant heations of 250 ppm inhalation (gas) No significant heations of 250 ppm Rat, male and fer	lth effects observed in animals at concentr //6h/d or less.
Not c <u>Com</u> 2,3,3, Expo: Asses 1,1,1,1, Expo: Asses Repe <u>Com</u> 2,3,3, Speci NOAE LOAE	lassified based on availa ponents: 3-Tetrafluoropropene: sure routes ssment 2-Tetrafluoroethane: sure routes ssment ated dose toxicity ponents: 3-Tetrafluoropropene: ies EL	:::::::::::::::::::::::::::::::::::::::	inhalation (gas) No significant heations of 250 ppm inhalation (gas) No significant heations of 250 ppm Rat, male and fer	//6h/d or less. Ith effects observed in animals at concentr //6h/d or less.

according to Regulation (EC) No. 1907/2006



Opteon™ XP10 (R-513A) Refrigerant

Version 7.1	Revision Date: 30.03.2021	SDS Numbe 1336496-000	
Metho	bd	: OECD T	est Guideline 413
1,1,1	,2-Tetrafluoroethane	:	
	EL EL cation Route sure time	: 50000 pr : >50000 p : inhalation : 2 yr	opm
Not c	ration toxicity lassified based on ava	ilable informatio	ın.
	ponents:		
	,3-Tetrafluoropropen spiration toxicity classi		
1,1,1	,2-Tetrafluoroethane	:	
	No aspiration toxicity classification		
SECTION	N 12: Ecological inf	ormation	
12.1 10.00	Jity		

Components:

2,3,3,3-Tetrafluoropropene:		
Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 197 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Selenastrum capricornutum (green algae)): > 75 mg/l Exposure time: 3 d Method: OECD Test Guideline 201
1,1,1,2-Tetrafluoroethane:		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 450 mg/l Exposure time: 96 h Method: Regulation (EC) No. 440/2008, Annex, C.1

according to Regulation (EC) No. 1907/2006

Version 7.1	Revision Date: 30.03.2021		OS Number: 36496-00047	Date of last issue: 09.10.2020 Date of first issue: 27.02.2017
aquatic invertebrates			Exposure time: 48 Method: Regulation	3 h on (EC) No. 440/2008, Annex, C.2
Toxicity to algae/aquatic plants		:	ErC50 (green algae): > 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials	
12.2 Pers	sistence and degradabil	ity		
Com	ponents:			
	;,3-Tetrafluoropropene: egradability		Result: Not readil Method: OECD T	y biodegradable. est Guideline 301F
	, 2-Tetrafluoroethane: egradability	:	Result: Not readil Method: OECD T	y biodegradable. est Guideline 301D
12.3 Bioa	occumulative potential			
Com	ponents:			
	3,3-Tetrafluoropropene:	:	Remarks: Bioacci	umulation is unlikely.
	tion coefficient: n- nol/water	:	log Pow: 2 (25 °C)
1,1,1	,2-Tetrafluoroethane:			
	ccumulation	:	Remarks: Bioacci	umulation is unlikely.
	tion coefficient: n- nol/water	:	log Pow: 1.06	
	ility in soil			
	ata available ults of PBT and vPvB as	sse	ssment	
Proc				
	essment	:	to be either persis	ixture contains no components considered stent, bioaccumulative and toxic (PBT), or d very bioaccumulative (vPvB) at levels of
12.6 Othe	er adverse effects			
Proc	luct:			
Endo tial	porine disrupting poten-	:		ixture does not contain components consid- ocrine disrupting properties according to

according to Regulation (EC) No. 1907/2006



Opteon[™] XP10 (R-513A) Refrigerant

Version	Revision Date:	SDS Number:	Date of last issue: 09.10.2020
7.1	30.03.2021	1336496-00047	Date of first issue: 27.02.2017

REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Global warming potential

Regulation (EU) No 517/2014 on fluorinated greenhouse gases

Product:

100-year global warming potential: 631

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product :	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.
Contaminated packaging :	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Empty pressure vessels should be returned to the supplier. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number		
ADN	:	UN 1078
ADR	:	UN 1078
RID	:	UN 1078
IMDG	:	UN 1078
ΙΑΤΑ	:	UN 1078
14.2 UN proper shipping name		
ADN	:	REFRIGERANT GAS, N.O.S. (2,3,3,3-Tetrafluoropropene, 1,1,1,2-Tetrafluoroethane)
ADR	:	REFRIGERANT GAS, N.O.S. (2,3,3,3-Tetrafluoropropene, 1,1,1,2-Tetrafluoroethane)
RID	:	REFRIGERANT GAS, N.O.S. (2,3,3,3-Tetrafluoropropene, 1,1,1,2-Tetrafluoroethane)
IMDG	:	REFRIGERANT GAS, N.O.S. (2,3,3,3-Tetrafluoropropene, 1,1,1,2-Tetrafluoroethane)
ΙΑΤΑ	:	Refrigerant gas, n.o.s. (2,3,3,3-Tetrafluoropropene, 1,1,1,2-Tetrafluoroethane)
14.3 Transport bazard class(os)		

14.3 Transport hazard class(es)

according to Regulation (EC) No. 1907/2006



Versic 7.1	on	Revision Date: 30.03.2021		0S Number: 36496-00047	Date of last issue: 09.10.2020 Date of first issue: 27.02.2017
А	DN		:	2	
Α	DR		:	2	
R	RID		:	2	
I	MDG		:	2.2	
I.	ΑΤΑ		:	2.2	
14.4 F	Packin	ig group			
P C H	Classifi	g group cation Code Identification Number	:	Not assigned by r 2A 20 2.2	egulation
P C H L	Classifi Iazard .abels	g group cation Code Identification Number restriction code	:	Not assigned by r 2A 20 2.2 (C/E)	egulation
P C H	Classifi	g group cation Code Identification Number	:	Not assigned by r 2A 20 2.2 ((13))	egulation
P L	MDG Packing abels EmS C	g group ode	:	Not assigned by r 2.2 F-C, S-V	egulation
P a P	Packing aircraft	Cargo) g instruction (cargo) g group	:	200 Not assigned by r Non-flammable, r	
P g	Packing Jer airc	Passenger) g instruction (passen- craft) g group	:	200 Not assigned by r	equlation
	abels		:	Non-flammable, r	
14.5 E	Enviro	nmental hazards			
	ADN Enviror	nmentally hazardous	:	no	
E		mentally hazardous	:	no	
E		mentally hazardous	:	no	
	MDG /larine	pollutant	:	no	



Opteon[™] XP10 (R-513A) Refrigerant

Version	Revision Date:	SDS Number:	Date of last issue: 09.10.2020
7.1	30.03.2021	1336496-00047	Date of first issue: 27.02.2017

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	: Not applicable	
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable	
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable	
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable	
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	: Not applicable	

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

15.2 Chemical safety assessment

Chemical Safety Assessments have been carried out for these substances.

SECTION 16: Other information

Other information	 Opteon[™] and any associated logos are trademarks or copyrights of The Chemours Company FC, LLC. Chemours[™] and the Chemours Logo are trademarks of The Chemours Company. Before use read Chemours safety information. For further information contact the local Chemours office or nominated distributors.
	Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

according to Regulation (EC) No. 1907/2006



Opteon[™] XP10 (R-513A) Refrigerant

Version	Revision Date:	SDS Number:	Date of last issue: 09.10.2020
7.1	30.03.2021	1336496-00047	Date of first issue: 27.02.2017

Full text of H-Statements

H221 H280		Flammable gas. Contains gas under pressure; may explode if heated.
Full text of other abbreviatio	ns	
Flam. Gas	:	Flammable gases
Press. Gas	:	Gases under pressure
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road: AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS -Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to : compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/

Classification of the mixture:

Classification procedure:

Press. Gas Liquefied gas H280

Based on product data or assessment



Opteon[™] XP10 (R-513A) Refrigerant

Version	Revision Date:	SDS Number:	Date of last issue: 09.10.2020
7.1	30.03.2021	1336496-00047	Date of first issue: 27.02.2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN