

Certificate of Compliance

Certificate Number:

UL-US-L491171-14-
22119102-10

Report Reference:

E491171-20191122

Issue Date:

2024-08-06

Issued to:

**RITTAL GmbH & Co. KG
Auf Dem Stutzelberg 1 Herborn 35745
Germany**

This certificate confirms that representative samples of:

FTTA - Environmental-rated Accessories for Enclosures

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 50, 13th Ed., Issue Date: 2015-10-16, Revision Date: 2020-10-15, UL 50E, 3rd Ed., Issue Date: 2020-10-15, UL 508A, 3rd Ed., Issue Date: 2018-04-24, Revision Date: 2022-07-28

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L491171-14-22119102-10
Report reference E491171-20191122
Date 2024-08-06

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
1199.100	AX Baying Kit
1485.600	AX mini-comfort handles
1581.200, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	KX Metal Gland Plate with metric single ring knockouts
1581.200, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	KX Metal Gland Plate with metric single ring knockouts
1590.010	AX, KX wall mounting brackets for sheet steel
1592.220	KX cover hinge
1594.010	AX, KX wall mounting brackets for stainless steel
2361.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2362.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2363.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2433.010	AX, KX wall mounting brackets for stainless steel
2433.510	AX, KX wall mounting brackets for stainless steel
2435.100	AX Comfort Handle
2435.200	AX Comfort Handle
2435.300	AX Comfort Handle
2435.400	AX Comfort Handle
2449.010	AX 180° hinges



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L491171-14-22119102-10
Report reference E491171-20191122
Date 2024-08-06

2472.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2473.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2474.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2475.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2476.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2503.020	AX, KX wall mounting brackets for sheet steel
2508.020	AX, KX wall mounting brackets for sheet steel
2509.010	AX Eyebolts
2537 or 1485, followed by any alphanumeric combination.	AX mini-comfort handles
2537.100	AX mini-comfort handles
2537.200	AX mini-comfort handles
2537.300	AX mini-comfort handles
2561.200	AX Plastic Gland Plate - with knockouts
2561.300	AX Plastic Gland Plate - with membrane
2562.200	AX Plastic Gland Plate - with knockouts
2562.300	AX Plastic Gland Plate - with membrane
2563.200	AX Plastic Gland Plate - with knockouts
2563.300	AX Plastic Gland Plate - with membrane
2564.200	AX Plastic Gland Plate - with knockouts
2564.300	AX Plastic Gland Plate - with membrane
2565.200	AX Plastic Gland Plate - with knockouts
2565.300	AX Plastic Gland Plate - with membrane
2566.200	AX Plastic Gland Plate - with knockouts
2566.300	AX Plastic Gland Plate - with membrane
2567.200	AX Plastic Gland Plate - with knockouts
2567.300	AX Plastic Gland Plate - with membrane



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L491171-14-22119102-10
Report reference E491171-20191122
Date 2024-08-06

2571.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2572.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2573.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2574.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2575.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2576.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2577.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2584.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX, KX Pole Clamps
2820.061, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.062, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.081, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L491171-14-22119102-10
Report reference E491171-20191122
Date 2024-08-06

2820.082, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.101, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.102, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.121, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.122, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.310, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.410, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2830.061, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.062, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.081, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.082, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L491171-14-22119102-10
Report reference E491171-20191122
Date 2024-08-06

2830.101, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.102, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.121, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.122, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.310, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base/plinth elements
2830.320, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base/plinth elements
2830.410, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base/plinth elements
2830.420, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base/plinth elements
5051.395, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.396, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.397, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L491171-14-22119102-10
Report reference E491171-20191122
Date 2024-08-06

5051.398, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.399, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.400, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.401, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.405, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	KX Metal Gland Plate
SZ 2304.100	AX cam lock
SZ 2309.110	KX cam lock
SZ 2459.000	Condensate discharge



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



Certificate of Compliance

Certificate Number:

UL-CA-L491171-34-
22119102-10

Report Reference:

E491171-20191122

Issue Date:

2024-08-06

Issued to:

RITTAL GmbH & Co. KG
Auf Dem Stutzberg 1 Herborn 35745
Germany

This certificate confirms that representative samples of:

FTTA7 - Environmental-rated Accessories for Enclosures
Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 94.2:20, 3rd Ed., Issue Date: 2020-10-15, CSA C22.2 No. 14, Edition 13, Issue Date 2018-03, Revision Date 2022-06, CSA C22.2 No. 94.1:15, 2nd Ed., Issue Date: 2015-10-16, Revision Date: 2020-10-15

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L491171-34-22119102-10
Report reference E491171-20191122
Date 2024-08-06

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
1199.100	AX Baying Kit
1485.600	AX mini-comfort handles
1581.200, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	KX Metal Gland Plate with metric single ring knockouts
1581.200, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	KX Metal Gland Plate with metric single ring knockouts
1590.010	AX, KX wall mounting brackets for sheet steel
1592.220	KX cover hinge
1594.010	AX, KX wall mounting brackets for stainless steel
2361.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2362.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2363.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2433.010	AX, KX wall mounting brackets for stainless steel
2433.510	AX, KX wall mounting brackets for stainless steel
2435.100	AX Comfort Handle
2435.200	AX Comfort Handle
2435.300	AX Comfort Handle
2435.400	AX Comfort Handle
2449.010	AX 180° hinges



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L491171-34-22119102-10
Report reference E491171-20191122
Date 2024-08-06

2472.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2473.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2474.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2475.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2476.010, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Protection Canopy
2503.020	AX, KX wall mounting brackets for sheet steel
2508.020	AX, KX wall mounting brackets for sheet steel
2509.010	AX Eyebolts
2537 or 1485, followed by any alphanumeric combination.	AX mini-comfort handles
2537.100	AX mini-comfort handles
2537.200	AX mini-comfort handles
2537.300	AX mini-comfort handles
2561.200	AX Plastic Gland Plate - with knockouts
2561.300	AX Plastic Gland Plate - with membrane
2562.200	AX Plastic Gland Plate - with knockouts
2562.300	AX Plastic Gland Plate - with membrane
2563.200	AX Plastic Gland Plate - with knockouts
2563.300	AX Plastic Gland Plate - with membrane
2564.200	AX Plastic Gland Plate - with knockouts
2564.300	AX Plastic Gland Plate - with membrane
2565.200	AX Plastic Gland Plate - with knockouts
2565.300	AX Plastic Gland Plate - with membrane
2566.200	AX Plastic Gland Plate - with knockouts
2566.300	AX Plastic Gland Plate - with membrane
2567.200	AX Plastic Gland Plate - with knockouts
2567.300	AX Plastic Gland Plate - with membrane



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L491171-34-22119102-10
Report reference E491171-20191122
Date 2024-08-06

2571.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2572.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2573.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2574.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2575.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2576.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2577.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate with metric single ring knockouts
2584.100, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX, KX Pole Clamps
2820.061, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.062, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.081, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L491171-34-22119102-10
Report reference E491171-20191122
Date 2024-08-06

nos. may vary from the above however the constructions shall not change except for size.	
2820.082, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.101, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.102, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.121, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.122, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.310, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2820.410, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base Plinth
2830.061, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.062, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.081, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L491171-34-22119102-10
Report reference E491171-20191122
Date 2024-08-06

2830.082, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.101, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.102, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.121, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.122, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	Accessories: AX Base/plinth trim panels
2830.310, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base/plinth elements
2830.320, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base/plinth elements
2830.410, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base/plinth elements
2830.420, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Base/plinth elements
5051.395, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.396, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.



CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L491171-34-22119102-10
Report reference E491171-20191122
Date 2024-08-06

nos. may vary from the above however the constructions shall not change except for size.	
5051.397, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.398, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.399, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.400, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.401, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	AX Metal Gland Plate
5051.405, Additional models in between the maximum sizes and minimum sizes can be constructed. The model nos. may vary from the above however the constructions shall not change except for size.	KX Metal Gland Plate
SZ 2304.100	AX cam lock
SZ 2309.110	KX cam lock
SZ 2459.000	Condensate discharge



David Piecuch
 UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

