

Rittal – The System.

Faster – better – everywhere.

► Interface extension with wall connection – SZ 2482.230

Date : Sep 26, 2020

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Interface extension with wall connection – SZ 2482.230

created: 26.09.2020 build on www.rittal.com/nz-en



Product description

Design:	USB 2.0 wall-mounted jack type A on internal connector type A
Description:	For extending the internal enclosure interfaces – e.g. from industrial PCs and switches – up to the outside of the enclosure. The wall connection only needs the same space as a switch.
Benefits:	Rapid access for maintenance work The protection category of the enclosure is preserved The lock nut cuts automatically into the spray-finish, thereby creating a conductive connection Captive protective cap
Material:	Enclosure: Brass Cover: Aluminium Seal: Polyamide
Surface finish:	Enclosure: Nickel-plated Cover: Natural anodised
Protection category IP to IEC 60 529:	IP 66/67 with the protective cap closed

Product features

Dimensions:	Length: 2 m
For material thicknesses:	1 mm - 6 mm
Packs of:	1 pc(s).
Weight/pack:	0.12 kg

Copper weight (kg per piece):	0
EAN:	4028177516335
Customs tariff number:	85369095
ETIM 7.0:	EC001408
ETIM 6.0:	EC001408
eCl@ss 8.0/8.1:	19059205
eCl@ss 6.0/6.1:	27189190
Product description:	SZ Interface extension, with wallconnection, USB, L: 2000 mm
Approvals	
Certificates:	EAC