

Rittal – The System.

Faster – better – everywhere.



SK 3285.700 Pleated filter

State: 18/06/2026 (Source: rittal.com/au-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SK 3285.700 - Pleated filter for fan-and-filter units, roof-mounted fans, cooling units and chillers

The high-quality pleated filter technology permits a significant increase in the volumetric air flow compared to conventional chopped-fibre filter mats. Cooling unit performance is improved and energy consumption is lower. The enhanced filtration properties also mean less dust in the enclosure or unit, and the resulting longer maintenance intervals reduce service costs significantly.

Features

Model No.	SK 3285.700
Design	for cooling units
Product description	To achieve a protection category of IP 54 with roof-mounted cooling unit Blue e+ and VX25 Blue e+ integration solution.
Material	Non-woven fabric
Note	Operation without a pleated filter is inadmissible
To fit Model No.	3185.030 3185.730
Dimensions	Width: 652 mm Height: 158 mm Depth: 15 mm
Filter class	to DIN EN 779: G4
IP protection category to IEC 60529	IP 54 in cooling units
Packs of	3 pc(s).
Net weight	0.45 kg
Gross weight	0.5 kg
Customs tariff number	84219990
ETIM 9	EC002513
ETIM 8	EC002513

Features

ECLASS 8.0

27180706

Product description

SK Pleated filter IP54 for roof-mounted cooling unit 3185.730, WHD:
652x158x15 mm