


Rittal – The System.

Faster – better – everywhere.



QB 7502.302 Combination rails

State: 8/12/2025 (Source: rittal.com/au-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



QB 7502.302 - Combination rails for QuickBox

For cable clamping and routing, fastening of cables and leads with cable ties to the hammer heads top and bottom.



Features

Model No.	QB 7502.302
Product description	For cable clamping and routing. Cables and leads can be fastened to the hammer heads top and bottom with cable ties. In addition, the C section of the combination rail will accommodate cable clamps with inserts. For producing a contacting connection, the anodised coating of the rail must be broken.
Material	Aluminium
Surface finish	Anodised
Supply includes	Assembly parts
Dimensions	Length: 200 mm
To fit	Enclosure type: QuickBox Depth: 300 mm 400 mm
Packs of	6 pc(s).
Net weight	0.498
Customs tariff number	76169990
EAN	4028177201507
ECLASS 8.0	27189234

Tender text

Combination rail for 300 mm and 400 mm

For cable clamping and routing. Cables and leads can be fastened to the tops and bottoms of the hammer-heads using cable ties. The combination rail's C-section will also hold cable clamps with insert.

Material: Aluminium

Dimensions (W x H x D): 196 mm x 50 mm x 15 mm