
### Rittal - The System.

Faster – better – everywhere.





# VX 8660.027

Base/plinth corner pieces with base/plinth trim panels, front and rear

State: 6/09/2025 (Source: rittal.com/au-en)

ICLOSURES >>> PC

OWER DISTRIBUTION


LIMATE CONTROL

T INFRASTRUCTURI

SOFTWARE & SERVICE

# VX 8660.027 - Base/plinth corner pieces with base/plinth trim panels, front and rear for base/plinth system VX, sheet steel

Base/plinth corner pieces with trim panels for flexible cable entry.





#### **Features**

VX 8660.027
Reliable – Excellent stability of the base/plinth
Flexible – Countless interior installation options with VX
accessories
Simple – Flush termination between the baying points
Base/plinth corner piece: Sheet steel
Base/plinth trim panel front/rear: Sheet steel
Corner and baying cover: Plastic
RAL 9005
4 corner covers
Assembly parts
4 base/plinth corner pieces, 200 mm high
1 base/plinth trim panel, front/rear, 200 mm high
2 base/plinth trim panels, front/rear, 100 mm high
Side base/plinth trim panels finish off a base/plinth unit or provide
additional stabilisation between base/plinths or enable interior
additional oldomodilon both con baco, piniting of chabic interior

© Rittal 2025

## Features

Dimensions	Height: 200 mm
To fit	Enclosure type: VX
	VX IT
	VX SE
	TX CableNet
	TS
	TS IT
	TP
	PC
	IW
	CX
	Width: = 1,800 mm
Type rating to UL 50E	Type 1
	Type 12
Weight/pack	16.2 kg
Packs of	2 pc(s).
Net weight	16.02
Gross weight	16.1
PCF per pack (cradle-to-gate)	61.7 kg CO2 eq (Cat B)
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared
Customs tariff number	94039910
EAN	4028177978195
ETIM 9	EC000721
ETIM 8	EC000721
ECLASS 8.0	27182003

## Approvals

Approvals	UL + C-UL - FTTA

© Rittal 2025 3