Rittal – The System.

Faster – better – everywhere.



5 5

SV 9661.300 Busbars E-Cu

State: 6/06/2025 (Source: rittal.com/au-en)



POWER DISTRIBUTION >> CLIMATE CONTROL

IT INFRASTRUCTURE SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

ENCLOSURES

SV 9661.300 - Busbars E-Cu with integral holes

Suitable for direct installation in enclosures, busbar support, PE/PEN combination in conjunction with PE/PEN combination angle and baying bracket E-Cu.

Features

Model No.	SV 9661.300
Product description	Suitable for direct installation in enclosures, busbar supports 9340.000/.010. 9340.004, 9342.014, 3052.000 and 3073.000. PE/ PEN combinations in conjunction with PE/PEN combination angle and baying bracket E-Cu.
Material	E-Cu
Ø hole	11 mm
Dimensions	Length: 965 mm
To fit	Width: = 1,000 mm
Cross-section	10 mm x 30 mm
Packs of	2 pc(s).
Net weight	5.19
Gross weight	5.235
Copper weight (kg per piece)	2.595
Customs tariff number	74071000
EAN	4028177546721
ETIM 9	EC000329
ECLASS 8.0	27400605

Approvals

Approvals



Explanations

Declaration of conformity Declaration of conformity UK