Rittal – The System.

Faster - better - everywhere.





SV 9676.021 Busbar support

State: 27/06/2025 (Source: rittal.com/au-en)



NCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

INFRASTRUCTURE

SV 9676.021 - Busbar support for stabiliser bar

For the configuration of busbar systems from flat copper bars with increased short-circuit resistance.

Features

| Model No. | SV 9676.021 |
|---------------------------------------|-----------------------------------------------------------------------------------------------|
| Material | Polyamide Fire protection corresponding to UL 94-V0 |
| Colour | RAL 9005 |
| Number bars | 4 |
| Number of bars per conductor footnote | When using only 1, 2 or 3 bars, the vacant bar slots should be closed using the filler pieces |
| To fit busbar system | Flat-PLS 100 |
| To fit busbars | Flat copper busbars |
| Cross-section | 100 mm |
| Packs of | 1 pc(s). |
| Net weight | 1.308 |
| Gross weight | 1.309 |
| Customs tariff number | 85369010 |
| EAN | 4028177600898 |
| ETIM 9 | EC001900 |
| ECLASS 8.0 | 27400613 |
| | |

Approvals

© Rittal 2025

Approvals

| Approvals | ABS |
|--------------|------------------------------|
| | CSA + CSAus |
| | DNV-GL |
| | Lloyds Register of Shipping |
| Explanations | Declaration of conformity |
| | Declaration of conformity UK |

© Rittal 2025 3