


# Rittal – The System.

Faster – better – everywhere.



## SV 9676.548 Contact piece

State: 27/06/2026 (Source: [rittal.com/au-en](http://rittal.com/au-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9676.548 - Contact piece for connection brackets

For connecting connection brackets and connector kits of flat copper bars to Flat-PLS busbar systems, no drilling required.



## Features

|                      |  |
|----------------------|--|
| Model No.            | SV 9676.548  |
| Product description  | For joining connection brackets to busbar systems.   |
| Material             | E-Cu   |
| Supply includes      | Assembly parts   |
| For Busbar width     | 80 mm  |
| Bars per conductor   | 3<br>4   |
| Note                 | <p>The screws included with the supply are used to secure the contact pieces to the busbars</p> <p>Screws for attaching the connection brackets are not included with the supply</p> <p>The required screw length must be selected in line with the busbar width W, i.e. length = W + fastening measurement + (number of sub-conductors x 10)</p> <p>No. of screws per bracket: With 2 sub-conductors per conductor: 2 pc(s). and with 3 or 4 sub-conductors per conductor: 4 pc(s).</p> |
| To fit busbar system | Flat-PLS   |
| Mounting dimensions  | 40 mm  |
| Packs of             | 1 pc(s).   |
| Net weight           | 1.5 kg   |

# Features

---

|                              |   |
|------------------------------|---|
| Gross weight                 | 1.625 kg  |
| Copper weight (kg per piece) | 0.99  |
| Customs tariff number        | 74198090  |
| ETIM 9                       | EC001900  |
| ECLASS 8.0                   | 27400613  |
| Product description          | SV Contact maker E-Cu, WH: 80x20 mm, for 3 or 4 strands, (Flat-PLS) |

# Approvals

---

|              |   |
|--------------|---|
| Explanations | Declaration of conformity<br>Declaration of conformity UK |
|--------------|---|