

Rittal – The System.

Faster – better – everywhere.



SK 3235.460 EC speed control

State: 29.05.2026 (Source: rittal.com/bg-bg)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SK 3235.460 - EC speed control Control unit for EC fan

Temperature-dependent speed control for EC fan-and-filter units to reduce noise and save energy.

Features

| | |
|-------------------------|--|
| Model No. | SK 3235.460 |
| Product description | Temperature-dependent speed control for EC fans to reduce noise and save energy. The function of the fan can also be monitored. |
| Function principle | Activation and monitoring of up to 4 EC filter fans For mounting on a 35 mm support rail EN 50 022 External temperature sensor to record the actual temperature Status LED to display the operating status Alarm relay for reporting overtemperature, fan defect, cable break and sensor failure |
| Supply includes | Speed control NTC sensor, length 1.80 m |
| Packs of | 1 pc(s). |
| Speed | 100 % |
| To fit Model No. | 3240.900 3241.900 3243.900 3244.900 3245.900 3245.910 3245.908 3245.918 3245.800 3245.810 |
| Setting range | 5 °C...55 °C |
| Rated operating voltage | 100 V – 250 V, 50 Hz/60 Hz |
| Net weight | 0,46 kg |
| Gross weight | 0,505 kg |

Features

| | |
|-----------------------|--|
| Customs tariff number | 90328900 |
| ETIM 9 | EC000256 |
| ECLASS 8.0 | 27142320 |
| Product description | SK speed control EC, unit for Blue e+ fan-and-filter units, 100-250 V, 50 Hz/60 Hz |

Approvals

| | |
|--------------|---------------------------|
| Approvals | C-UR UR |
| Explanations | Declaration of conformity |
