

# Rittal – The System.

Faster – better – everywhere.



## SK 3301.392

## Air duct

State: 12.05.2026 (Source: [rittal.com/bg-bg](http://rittal.com/bg-bg))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SK 3301.392 - Air duct for side air routing

For cold air supply to hubs with side air intake.

## Features

|                      |   |
|----------------------|---|
| Model No.            | SK 3301.392   |
| Product description  | Air duct, passive, for cold air intake to 482.6 mm (19") IT equipment with side air inlet. Suitable for use in conjunction with all-round partitioning around the mounting level via air baffle plates and targeted management of the airflow through the air duct. |
| Benefits             | For superior air infeed to the rear 482.6 mm (19") equipment with side air routing<br>Integral membrane cover allows cable entry to the rear<br>Depth-variable  |
| Material             | Sheet steel   |
| Surface finish       | Spray-finished  |
| Colour               | RAL 9005  |
| Supply includes      | Air duct<br>Adaptor for attaching to 482.6 mm (19") mounting angles<br>Magnetic strip to cover the remaining vertical openings in the air baffle plate  |
| Installation options | for TS IT 482.6 mm (19") mounting angles<br>for TS IT 482.6 mm (19") mounting frames<br>for 482.6 mm (19") mounting angles, standard  |
| Assembly instruction | Only suitable for fitting on the front 482.6 mm (19") installation level<br>Can only be mounted in the area of the vertical 19" openings of the air baffle plate  |
| Dimensions           | Height: 2 U   |
| To fit               | Enclosure type: TS IT<br>VX IT<br>Width: 800 mm   |
| Packs of             | 1 pc(s).  |
| Net weight           | 1,55 kg   |

# Features

|                               |  |
|-------------------------------|--|
| Gross weight                  | 1,8 kg   |
| PCF per pack (cradle-to-gate) | 6.9 kg CO2 eq (Cat B)  |
| Note on PCF category          | Category B: PCF value (cradle-to-gate) based on the product weight, approximately calculated and self-declared |
| Customs tariff number         | 73269098   |
| ETIM 9                        | EC011217   |
| ETIM 8                        | EC011217   |
| ECLASS 8.0                    | 22410601   |
| Product description           | SK Air duct, for side air flow, 2 U, depth-variable 275 - 418 mm, sheet steel, RAL 9005                        |