
# Rittal - The System.

Faster – better – everywhere.






State: 20.11.2025 (Source: rittal.com/bg-bg)



## SV 3525.010 - PLS special busbars E-Cu

Lengths range from 495 mm to 2400 mm.



### **Features**

Model No.	SV 3525.010
Material	E-Cu
Bar thickness	5 mm
Cross-section	300 mm²
Note	May be cut individually to required length
Busbar type	Busbar E-Cu
To fit busbar system	PLS 800
Dimensions	Length: 895 mm
To fit	Width: = 1,000 mm
Packs of	3 pc(s).
Net weight	6.57
Gross weight	6.88
Copper weight (kg per piece)	2.32
Customs tariff number	74071000

© Rittal 2025 2

#### **Features**

EAN	4028177504004
ETIM 9	EC001522
ETIM 8	EC001522
ECLASS 8.0	27370303

### **Approvals**

Approvals	UL + C-UL (listed)
Explanations	Declaration of conformity
	Declaration of conformity UK

#### Tender text

PLS 800 special busbars

PLS 800 special busbars E-Cu

Technical specifications

Length: 895 mm Bar thickness: 5 mm

Cross section: 300 qmm

Weight: 2.67 Kg/m Electrical parameters

IEC: to 800 A UL 508: 700 A

System:

Rittal RiLine60

© Rittal 2025 3