

**Rittal – The System.**

Faster – better – everywhere.



# SV 3580.100

## Busbars E-Cu

State: 16.04.2026 (Source: [rittal.com/bg-bg](http://rittal.com/bg-bg))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 3580.100 - Busbars E-Cu

Length: 2400 mm/bar.



## Features

Model No.	SV 3580.100
Material	E-Cu F30
Note	May be cut individually to required length
Standards	DIN EN 13 601
Cross-section	12 mm x 10 mm
Dimensions	Length: 2,400 mm
Packs of	6 pc(s).
Net weight	15,48 kg
Gross weight	15,5 kg
Copper weight (kg per piece)	2,58
Customs tariff number	74071000
ETIM 9	EC001522
ETIM 8	EC001522
ECLASS 8.0	27370303

# Features

---

Product description

SV Busbar E-Cu, WH: 12x10 mm, L: 2400 mm

# Approvals

---

Approvals

UL + C-UL (listed)

Explanations

Declaration of conformity

Declaration of conformity UK

# Tender text

Busbar made from E-Cu

Busbars E-Cu to DIN 13601

Technical specifications

Length: 2400 mm

Dimension: 12 x 10 mm

Cross section: 120 qmm

Weight: 1.068 Kg/m

Electrical parameters

IEC: to 340 A

UL 508: -

System:

Rittal RiLine60