Rittal – The System.

Faster – better – everywhere.





TS 8601.860 Earthquake base/plinth

State: 17.05.2024 (Source: rittal.com/bg-bg)



TS 8601.860 - Earthquake base/plinth for VX, TS

For stable attachment of the earthquake-resistant enclosure to the subsurface. External metric M6 thread for a stable connection to the subsurface from the outside.



Features

Model No.	TS 8601.860
Product description	For stable attachment of the earthquake-resistant enclosure to the subsurface. External metric M6 thread for a stable connection to the subsurface from the outside.
Material	Corner pieces: Sheet steel 5 mm Trim panels: Sheet steel 2 mm
Surface finish	Powder-coated
Colour	RAL 7022
Supply includes	Base/plinth, fully assembled 4 corner pieces 2 depth stays 1 trim panel front/rear
Note	Meets earthquake zone 4 to Telcordia GR-63-Core in conjunction with a comfort handle and an earthquake kit.
Dimensions	Height: 100 mm
To fit	Enclosure type: VX TS Width: = 800 mm Depth: = 600 mm
Packs of	1 pc(s).

© Rittal 2024 2

Features

Weight/pack	15,9 kg
Customs tariff number	94039910
EAN	4028177413597
ETIM 7.0	EC000721
ECLASS 8.0	27182003

© Rittal 2024 3