

Rittal – The System.

Faster – better – everywhere.



SV 9342.140 Base tray infill

State: 21.05.2026 (Source: rittal.com/bg-bg)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SV 9342.140 - Base tray infill for RiLine busbar systems

Rear contact hazard protection when connecting the busbars from enclosure to enclosure.

Features

| | |
|-----------------------|---|
| Model No. | SV 9342.140 |
| Product description | For rear contact hazard protection when connecting the busbars from enclosure to enclosure. |
| Material | Thermally modified hard PVC. Fire protection corresponding to UL 94-V0 |
| Colour | RAL 7035 |
| Supply includes | Assembly parts |
| Number of poles | 3-pole |
| To fit busbar system | PLS 1600, 3-pole |
| To fit Model No. | 9342.000 9342.050 |
| Connection type | Baying connection from enclosure to enclosure |
| Dimensions | Length: 100 mm |
| Packs of | 2 pc(s). |
| Net weight | 0,24 kg |
| Gross weight | 0,281 kg |
| Customs tariff number | 83024200 |
| ETIM 9 | EC002498 |
| ECLASS 8.0 | 27379201 |
| Product description | SV Base tray infill, L: 100 mm (PLS 1600) |

Approvals

Approvals

Approvals

UL + C-UL (listed)

Tender text

RiLine60 base tray infill

Base tray infill for the PLS 1600 special busbar system for rear contact hazard protection when connecting the busbars from enclosure to enclosure.

Technical specifications

Length: 100 mm

Width: 210 mm

Height: 43 mm

System:

Rittal RiLine60