

# Rittal – The System.

Faster – better – everywhere.



## SV 9342.140 Base tray infill

State: 06.04.2026 (Source: [rittal.com/bg-bg](http://rittal.com/bg-bg))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9342.140 - Base tray infill for RiLine busbar systems

Rear contact hazard protection when connecting the busbars from enclosure to enclosure.

## Features

Model No.	SV 9342.140
Product description	For rear contact hazard protection when connecting the busbars from enclosure to enclosure.
Material	Thermally modified hard PVC. Fire protection corresponding to UL 94-V0
Colour	RAL 7035
Supply includes	Assembly parts
Number of poles	3-pole
To fit busbar system	PLS 1600, 3-pole
To fit Model No.	9342.000 9342.050
Connection type	Baying connection from enclosure to enclosure
Dimensions	Length: 100 mm
Packs of	2 pc(s).
Net weight	0,24 kg
Gross weight	0,281 kg
Customs tariff number	83024200
ETIM 9	EC002498
ECLASS 8.0	27379201
Product description	SV Base tray infill, L: 100 mm (PLS 1600)

## Approvals

# Approvals

---

Approvals

UL + C-UL (listed)

## Tender text

RiLine60 base tray infill

Base tray infill for the PLS 1600 special busbar system for rear contact hazard protection when connecting the busbars from enclosure to enclosure.

Technical specifications

Length: 100 mm

Width: 210 mm

Height: 43 mm

System:

Rittal RiLine60