

**Rittal – The System.**

Faster – better – everywhere.



**SV 9344.310**

**NH fuse-switch disconnecter**

State: 14.05.2026 (Source: [rittal.com/bg-bg](http://rittal.com/bg-bg))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SV 9344.310 - NH fuse-switch disconnecter

## Features

|   |   |
|---|---|
| Model No.                               | SV 9344.310   |
| Design                                  | For mounting plate assembly   |
| Material                                | Polyamide<br>Fire protection corresponding to UL 94<br>Contact tracks: Electrolytic copper, silver-plated             |
| Colour                                  | Chassis: RAL 7035<br>Cover: RAL 7035/7001   |
| Clamping area for laminated copper bars | Clamping area width: 50 mm<br>Clamping area height: 10 mm   |
| for mounting plate assembly             | Yes   |
| Cable outlet                            | Top/bottom  |
| Type of electrical connection           | Screw M10   |
| Rated operating current max.            | 630 A   |
| Rated operating voltage                 | 690 V, 3~   |
| For NH size                             | 3   |
| Note                                    | The technical data may vary for UR applications. Applications to UR only in conjunction with "Special Purpose Fuses". |
| Test specification                      | IEC/DIN EN 60 947-3<br>DIN EN 60 269-2 (fuse inserts)   |
| Dimensions                              | Width: 250 mm<br>Height: 298 mm   |
| Connection of round conductors          | 10 - 300 mm <sup>2</sup>  |
| Number of poles                         | 3-pole  |
| Round conductor cross-section           | 10 - 300 mm <sup>2</sup>  |
| Packs of                                | 1 pc(s).  |
| Net weight                              | 3,6 kg  |

# Features

---

|                              |  |
|------------------------------|--|
| Gross weight                 | 3,8 kg   |
| Copper weight (kg per piece) | 1,06   |
| Customs tariff number        | 85369095   |
| ETIM 9                       | EC000249   |
| ECLASS 8.0                   | 27371401   |
| Product description          | SV NH fuse-switch disconnecter, size 3, 630 A, 690 V, 3-pole, screw M10, for mounting plate assembly |

# Approvals

---

|              |   |
|--------------|---|
| Approvals    | C-UR<br>CQC-CCC<br>UR + C-UR (recognized)                 |
| Explanations | Declaration of conformity<br>Declaration of conformity UK |