


Faster – better – everywhere.





SV 9684.960 Contact hazard protection cover plate

IT INFRASTRUCTURE SOFTWARE & SERVICES

CLIMATE CONTROL

State: 29.08.2025 (Source: rittal.com/bg-bg)

POWER DISTRIBUTION

RITTAL

FRIEDHELM LOH GROUP

ENCLOSURES

SV 9684.960 - Contact hazard protection cover plate for enclosures with NH slimline fuse-switch disconnectors

To cover outgoing sections with NH slimline fuse-switch disconnectors so that they are safe from finger contact.

Features

Model No.	SV 9684.960	
Product description	To cover outgoing sections with NH slimline fuse-switch disconnectors and busbar system in the rear enclosure section so that they are safe from finger contact (IP 2X).	
Material	Sheet steel, 1.5 mm	
Surface finish	Zinc-plated	
Supply includes	4 side panels (left/right side) 2 side panels (top/bottom) Assembly parts	
Usable width for Flat-PLS	400 mm	
Note	The specified installation width when using the contact hazard protection cover only applies when using busbar support 9686.060/9686.070	
To fit	Enclosure type: TS Width: = 600 mm	
Packs of	1 pc(s).	
Net weight	5.2	
Gross weight	6	
PCF per pack (cradle-to-gate)	22.9 kg CO2 eq (Cat B)	
Note on PCF category	Category B: PCF value (cradle-to-gate) based on the product weight approximately calculated and self-declared	
Customs tariff number	73269098	
EAN	4028177936829	

Features

ETIM 9	EC001638	
ECLASS 8.0	27142116	
Approvals		

Explanations

Declaration of conformity UK