

Faster – better – everywhere.





HD 1308.600 Compact enclosure HD, single-door

State: 2025-09-07 (Source: rittal.com/ca-en)



HD 1308.600 - Compact enclosure HD, single-door

Enclosure solution tailored to the requirements of the food and beverage industry. Roof angled forwards by 30°. Seal dyed blue to clearly distinguish it from foodstuffs



Features

Model No.	HD 1308.600	
Version	Hygienic Design Enclosures	
Product modification	From June 2020, the compact enclosure HD, single-door, comes with the new compact enclosure AX mounting plate. Le coffret électrique HD à une porte intègre à compter de juin 2020 la nouvelle plaque de montage du coffret électrique AX.	
Material	Housing and door: Stainless steel 1.4301 (AISI 304) Mounting plate: Carbon steel HD lock inserts: Stainless steel 1.4404 (AISI 316L) Seal: Silicone, compliant with FDA Guideline 21 CFR 177.2600	
Surface finish	Housing and door: Brushed, grain 400, peak-to-valley height < 0.8 μm Mounting panel: Zinc-plated Seal: Blue, dyed (RAL 5010)	
Supply includes	Housing of all-round solid construction Door with fitted seal Door hinged on the right, may be swapped to the left Mounting panel	

Features

Dimensions	Width: 390 mm Height, front: 650 mm Height rear: 769 mm Denth: 210 mm
	Depth: 210 mm
Dimensions of mounting plate (W x H)	330 mm x 575 mm
Door opening angle	125°
No. of locks	2
IK code	IK08
Base material	Stainless steel 1.4301 (AISI 304)
Protection category IP to IEC 60	IP 66
529	IP X9
Protection category NEMA	NEMA 1
	NEMA 3
	NEMA 3X
	NEMA 4
	NEMA 4X
	NEMA 12
	NEMA 13
Type rating according to UL 50E	Туре 1
	Туре 3
	Туре ЗХ
	Туре 4
	Type 4X
	Type 12
	Туре 13
Packaging unit	1 pc(s).
Net weight	17.575
Gross weight	18.5
Customs tariff number	94032080
EAN	4028177567634
E-Number Sweden	E3465018
ETIM 9	EC000261

Features

ETIM 8	EC000261	
ECLASS 8.0	27180101	
Approvals		
Αρριοναίδ		
Approvals	UL + C-UL (listed)	
Explanations	Declaration of conformity	
	Declaration of conformity UK	