

Faster – better – everywhere.





KX 1503.000 KX terminal box, carbon steel, without flange

IT INFRASTRUCTURE SOFTWARE & SERVICES

State: 2025-09-17 (Source: rittal.com/ca-en)

POWER DISTRIBUTION >> CLIMATE CONTROL

RITTAL

FRIEDHELM LOH GROUP

ENCLOSURES

KX 1503.000 - KX terminal box, carbon steel, without flange

The small enclosure KX, terminal box KX, without a gland plate allows for flexible interior installation while maintaining a high protection category.



Features

Model No.	KX 1503.000
Product description	The small enclosure KX, terminal box KX, without a gland plate allows for flexible interior installation while maintaining a high protection category.
Material	Housing: Carbon steel Cover: Carbon steel, all-round foamed-in PU seal
Surface finish	Housing and cover: Dipcoat primed, powder-coated on the outside textured paint
Color	RAL 7035
Supply includes	Housing with cover Mini cam lock
Protection category NEMA	NEMA 1 NEMA 3R NEMA 4 NEMA 12
Protection category IP to EN 60 529	IP 66

Features

Type 3R Type 4 Type 12IK codeIK08DimensionsWidth: 300 mm Height: 200 mm Depth: 120 mmMaterial thickness - cover1.25 mmMaterial thickness - enclosure1.25 mmBase materialCarbon steelPackaging unit1 pc(s).Net weight2.7Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)	Type rating according to LIL EOE	
Type 4 Type 12IK codeIK08DimensionsWidth: 300 mm Height: 200 mm Depth: 120 mmMaterial thickness - cover1.25 mmMaterial thickness - enclosure1.25 mmBase materialCarbon steelPackaging unit1 pc(s).Net weight2.7Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCF classCategory B: PCF value (cradle-to-gate) calculated approximately the basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261	Type rating according to UL 50E	
Type 12IK codeIK08DimensionsWidth: 300 mm Height: 200 mm Depth: 120 mmMaterial thickness - cover1.25 mmMaterial thickness - enclosure1.25 mmBase materialCarbon steelPackaging unit1 pc(s).Net weight2.7Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCFCategory B: PCF value (cradle-to-gate) calculated approximately classclassthe basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261		
IK codeIK08DimensionsWidth: 300 mm Height: 200 mm Depth: 120 mmMaterial thickness - cover1.25 mmMaterial thickness - enclosure1.25 mmBase materialCarbon steelPackaging unit1 pc(s).Net weight2.7Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCF classCategory B: PCF value (cradle-to-gate) calculated approximately the basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261		
DimensionsWidth: 300 mm Height: 200 mm Depth: 120 mmMaterial thickness - cover1.25 mmMaterial thickness - enclosure1.25 mmBase materialCarbon steelPackaging unit1 pc(s).Net weight2.7Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCFCategory B: PCF value (cradle-to-gate) calculated approximately the basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261		Туре 12
Height: 200 mm Depth: 120 mmMaterial thickness - cover1.25 mmMaterial thickness - enclosure1.25 mmBase materialCarbon steelPackaging unit1 pc(s).Net weight2.7Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCF classCategory B: PCF value (cradle-to-gate) calculated approximately the basis of the product weight and self-declaredEAN4028177816176E-Number SwedenE3465183ETIM 9EC000261	IK code	IK08
Depth: 120 mmMaterial thickness - cover1.25 mmMaterial thickness - enclosure1.25 mmBase materialCarbon steelPackaging unit1 pc(s).Net weight2.7Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCFCategory B: PCF value (cradle-to-gate) calculated approximately the basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261	Dimensions	Width: 300 mm
Material thickness - cover1.25 mmMaterial thickness - enclosure1.25 mmBase materialCarbon steelPackaging unit1 pc(s).Net weight2.7Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCFCategory B: PCF value (cradle-to-gate) calculated approximately classCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261		Height: 200 mm
Material thickness - enclosure1.25 mmBase materialCarbon steelPackaging unit1 pc(s).Net weight2.7Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCFCategory B: PCF value (cradle-to-gate) calculated approximately the basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261		Depth: 120 mm
Base materialCarbon steelPackaging unit1 pc(s).Net weight2.7Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCF classCategory B: PCF value (cradle-to-gate) calculated approximately the basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261	Material thickness - cover	1.25 mm
Packaging unit1 pc(s).Net weight2.7Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCFCategory B: PCF value (cradle-to-gate) calculated approximately classclassthe basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261	Material thickness - enclosure	1.25 mm
Net weight2.7Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCF classCategory B: PCF value (cradle-to-gate) calculated approximately the basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261	Base material	Carbon steel
Gross weight2.838PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCF classCategory B: PCF value (cradle-to-gate) calculated approximately the basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261	Packaging unit	1 pc(s).
PCF/VE (cradle-to-gate)13.8 kg CO2 eq (Cat B)Information regarding the PCF classCategory B: PCF value (cradle-to-gate) calculated approximately the basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261	Net weight	2.7
Information regarding the PCF classCategory B: PCF value (cradle-to-gate) calculated approximately the basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261	Gross weight	2.838
classthe basis of the product weight and self-declaredCustoms tariff number84879059EAN4028177816176E-Number SwedenE3465183ETIM 9EC000261	PCF/VE (cradle-to-gate)	13.8 kg CO2 eq (Cat B)
EAN 4028177816176 E-Number Sweden E3465183 ETIM 9 EC000261		Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
E-Number Sweden E3465183 ETIM 9 EC000261	Customs tariff number	84879059
ETIM 9 EC000261	EAN	4028177816176
	E-Number Sweden	E3465183
ETIM 8 EC000261	ETIM 9	EC000261
	ETIM 8	EC000261
ECLASS 8.0 27180101	ECLASS 8.0	27180101

Approvals

Approvals

Approvals	Bureau Veritas DNV-GL Lloyds Register of Shipping UL + C-UL (listed)
Certificates	Protection category
Explanations	Manufacturer's declaration Declaration of conformity Declaration of conformity UK PCF-declaration