


# Rittal – The System.

Faster – better – everywhere.



## KX 1518.000

## KX terminal box, carbon steel, without flange

State: 2025-08-04 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE


SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# KX 1518.000 - KX terminal box, carbon steel, without flange

The small enclosure KX, terminal box KX, without a gland plate allows for flexible interior installation while maintaining a high protection category.



## Features

|                                    |  |
|------------------------------------|--|
| Model No.                          | KX 1518.000  |
| Product description                | The small enclosure KX, terminal box KX, without a gland plate allows for flexible interior installation while maintaining a high protection category. |
| Material                           | Housing: Carbon steel<br>Cover: Carbon steel, all-round foamed-in PU seal  |
| Surface finish                     | Housing and cover: Dipcoat primed, powder-coated on the outside, textured paint  |
| Color                              | RAL 7035   |
| Supply includes                    | Housing with cover<br>Mini cam lock  |
| Protection category NEMA           | NEMA 1<br>NEMA 3R<br>NEMA 4<br>NEMA 12   |
| Protection category IP to EN 60529 | IP 66  |

## Features

|                                     |  |
|-------------------------------------|--|
| Type rating according to UL 50E     | Type 1<br>Type 3R<br>Type 4<br>Type 12   |
| IK code                             | IK08   |
| Dimensions                          | Width: 400 mm<br>Height: 200 mm<br>Depth: 80 mm  |
| Material thickness - cover          | 1.25 mm  |
| Material thickness - enclosure      | 1.25 mm  |
| Base material                       | Carbon steel   |
| Packaging unit                      | 1 pc(s).   |
| Net weight                          | 2.894  |
| Gross weight                        | 3.006  |
| PCF/VE (cradle-to-gate)             | 13.5 kg CO2 eq (Cat B)   |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number               | 84879090   |
| EAN                                 | 4028177816329  |
| E-Number Sweden                     | E3465198   |
| ETIM 9                              | EC000261   |
| ETIM 8                              | EC000261   |
| ECLASS 8.0                          | 27180101   |

## Approvals

# Approvals

|              |  |
|--------------|--|
| Approvals    | Bureau Veritas<br>DNV-GL<br>Lloyds Register of Shipping<br>UL + C-UL (listed)                              |
| Certificates | Protection category  |
| Explanations | Manufacturer's declaration<br>Declaration of conformity<br>Declaration of conformity UK<br>PCF-declaration |