

Faster – better – everywhere.





KX 1565.000 KX terminal box

State: 2025-08-29 (Source: rittal.com/ca-en)



FRIEDHELM LOH GROUP

ENCLOSURES

KX 1565.000 - KX terminal box Stainless steel

The KX small enclosure stainless steel offers maximum data quality and consistency in engineering, flexibility, and safety for a variety of applications.





Features

KX 1565.000
System perfection. The new small enclosure KX, stainless steel offers maximum data quality and consistency in engineering, flexibility, and safety for a variety of applications.
Housing: Stainless steel 1.4301 (AISI 304) Cover: Stainless steel 1.4301 (AISI 304), all-round foamed-in PU sea
Housing and cover: Brushed, grain 180
Housing with cover Quick-release fasteners including plastic bushings
NEMA 1 NEMA 3R NEMA 3RX NEMA 4 NEMA 4X NEMA 12
IP 66

Features

Type rating according to UL 50E	Туре 1
,	Type 3R
	Type 3RX
	Туре 4
	Type 4X
	Туре 12
Dimensions	Width: 200 mm
	Height: 200 mm
	Depth: 120 mm
Material thickness - cover	1.25 mm
Material thickness - enclosure	1.25 mm
Lock	No. of locks: 4
Base material	Stainless steel 1.4301 (AISI 304)
Packaging unit	1 pc(s).
Net weight	2.14
Gross weight	2.337
Customs tariff number	84879090
EAN	4028177919068
E-Number Sweden	E3465231
ETIM 9	EC000261
ETIM 8	EC000261
ECLASS 8.0	27180101

Approvals

Approvals	Bureau Veritas	
	DNV-GL	
	Lloyds Register of Shipping	
	UL + C-UL (listed)	



Explanations

Declaration of conformity Declaration of conformity UK