
Rittal – The System.

Faster – better – everywhere.






HD 1671.600 Junction box HD

State: 2025-12-07 (Source: rittal.com/ca-en)




HD 1671.600 - Junction box HD

Enclosure solution tailored to the requirements of the food and beverage industry. All-round gapfree silicone seal between enclosure and cover. Hygiene-compliant quick-release hexagon fastener







Features

esign Enclosures Ind cover: Stainless steel 1.4301 (AISI 304), 1.5 mm I bracket: Carbon steel, zinc-plated, 2.0 mm I: Stainless steel Ine, compliant with FDA Guideline 21 CFR 177.2600 Ind cover: Brushed, grain 400, peak-to-valley height
nd cover: Stainless steel 1.4301 (AISI 304), 1.5 mm bracket: Carbon steel, zinc-plated, 2.0 mm : Stainless steel ne, compliant with FDA Guideline 21 CFR 177.2600
bracket: Carbon steel, zinc-plated, 2.0 mm : Stainless steel ne, compliant with FDA Guideline 21 CFR 177.2600
: Stainless steel ne, compliant with FDA Guideline 21 CFR 177.2600
ne, compliant with FDA Guideline 21 CFR 177.2600
nd cover: Brushed, grain 400, peak-to-valley height
dyed (RAL 5010)
all-round solid construction
bracket (pre-assembled)
uick-release bolt (supplied loose)
:: 150 mm
): 177 mm
. 150
nt: 150 mm
nt: 150 mm : 177 mm
۱ľ

© Rittal 2025

Features

Stainless steel 1.4301 (AISI 304) IP 66
IP 66
IP X9
NEMA 1
NEMA 3
NEMA 3X
NEMA 4
NEMA 4X
NEMA 12
NEMA 13
Type 1
Type 3
Type 3X
Type 4
Type 4X
Type 12
Type 13
1 pc(s).
1.906
2.06
84879090
4028177639744
E3465101
EC002713
EC002713
27180101

Approvals

Approvals UL + C-UL (listed)	
------------------------------	--

© Rittal 2025 3

Approvals

Explanations

Declaration of conformity

Declaration of conformity UK

© Rittal 2025