Rittal – The System.

Faster – better – everywhere.





SZ 2482.320

Mounting frame, interface flap, modular

State: 2025-11-05 (Source: rittal.com/ca-en)



SZ 2482.320 - Mounting frame, interface flap, modular

For universal use where rapid access to interfaces and outlets is needed, the housing remains closed.

Features

| Model No. | SZ 2482.320 |
|----------------------|--|
| Version | Mounting frame, single, with metal flap |
| Product description | For universal use where rapid access to interfaces and outlets is needed. The housing remains closed, protecting it from environmental effects and unauthorized access. |
| Function principle | The cover on the mounting frame can be opened at various angles from 90° to 180° The snap fit closure ensures a good seal. The cover can be locked if necessary. |
| Material | Lock: Polycarbonate Mounting frame and metal flap: Fine die-cast zinc |
| Surface finish | Mounting frame and metal flap: Matt nickel-plated |
| Color | Lock: RAL 7024 Screw terminals: yellow (RAL 1016) |
| Mounting cut-out | Width of opening: 52 mm Cut-out height: 91 mm |
| Installation options | In small and compact enclosures as a programming interface for controllers In IT and industrial distributors to provide maintenance access for networks In PC enclosures and console systems for temporary connection of auxiliary devices In mobile industrial workstations for rapid connection to existing network structures In command panel systems for the programming and maintenance of integrated components |
| Dimensions | Width: 65 mm Height: 120 mm |

© Rittal 2025

Features

| Protection category IP to IEC 60 529 | IP 65 with sealed flap and proper assembly |
|---|--|
| Packaging unit | 1 pc(s). |
| Net weight | 0.319 |
| Gross weight | 0.321 |
| Customs tariff number | 85369095 |
| EAN | 4028177490666 |
| ETIM 9 | EC002625 |
| ETIM 8 | EC002625 |
| ECLASS 8.0 | 27189234 |

Approvals

| Approvals | C-UR UR + C-UR (recognized) |
|--------------|--------------------------------|
| Explanations | Declaration of conformity |

© Rittal 2025 3