Rittal - The System.

Faster – better – everywhere.





SK 3120.200 Speed Control

State: 2025-11-17 (Source: rittal.com/ca-en)



SK 3120.200 - Speed Control For filter fans and air-air heat exchangers

Temperature-dependent speed control to reduce noise and save energy in part-load operation.

Features

Model No.	SK 3120.200	
Product description	Temperature-dependent speed control for noise reduction and energy conservation in part-load operation.	
Technical specifications	For mounting on a 35 mm support rail EN 50 022 Phase cross-over with microcontroller Maximum fan output 300 W or 2 A	
Supply includes	Speed Control NTC sensor, length 1.80 m	
Packaging unit	1 pc(s).	
Speed	100 %	
Note	Only suitable for use with single-phase AC motors and equipment Not suitable for EC motors	
Dimensions	Width: 105 mm Height: 90.5 mm Depth: 60.2 mm	
Setting range	20 °C55 °C	
Rated operating voltage	100 V - 230 V	
Net weight	0.359	
Gross weight	0.39	
Customs tariff number	90321020	
EAN	4028177631441	
E-Number Sweden	E7239754	
ETIM 9	EC000256	
ETIM 8	EC000256	

© Rittal 2025

Features

ECLASS 8.0	27142320

Approvals

Approvals	UR	
Certificates	EAC	
Explanations	Declaration of conformity Declaration of conformity UK	

© Rittal 2025 3