Rittal - The System.

Faster – better – everywhere.





SK 3124.310 Blue e IoT Adapter

State: 2025-12-01 (Source: rittal.com/ca-en)



SK 3124.310 - Blue e IoT Adapter

In conjunction with the IoT interface (3124.300), the adapter enables the intelligent networking of the Blue e cooling units.

Features

Model No.	SK 3124.310
Product description	In conjunction with the IoT interface, the adapter supports the intelligent networking of the Blue e cooling units.
Benefits	Digitization and networking offer great opportunities for every company. In conjunction with IoT interface (3124.300), the connection of Blue e Series cooling units to Industry 4.0 environments can be easily implemented without interfering with the automation logic. Plug and play: The IoT interface is quickly and conveniently configured and commissioned via the integral Web server, no programming required. Condition monitoring for up to 10 cooling units in master/slave combination
Material	Plastic Front: Smooth Housing: Textured
Color	Front: RAL 9005 Housing: RAL 7035
Supply includes	Blue e IoT Adapter Installation and Short User's Guide Mounting Bracket Mounting accessories Sub-D on RJ11 connecting cables, length 150 mm Mounting clips for securing top-hat rails
Interfaces	1 x Modbus RTU 1 x cooling unit interface

© Rittal 2025

Features

Suitable for Model No.	3303.5/6xx
	3304.5/6xx
	3305.5/6xx
	3328.5/6xx
	3329.5/6xx
	3332.5/6xx
	3361.5/6xx
	3366.5/6xx
	3377.5/6xx
	3307.7xx
	3310.7xx
	3382.5/6xx
	3359.5/6xx
	3383.5/6xx 3273.500
	3384.5/6xx
	3385.5/6xx
	3386.5/6xx
	3387.5/6xx
	9776.550
Dimensions	Width: 80 mm
	Height: 30 mm
	Depth: 40 mm
Operating temperature range	0 °C55 °C
Protection category IP to IEC 60 529	IP 30
Packaging unit	1 pc(s).
Net weight	0.18
Gross weight	0.2
Customs tariff number	85234920
EAN	4028177939059
ETIM 9	EC001099
ETIM 8	EC001099
ECLASS 8.0	27143136

© Rittal 2025 3

Approvals

Certificates	EAC
Explanations	Declaration of conformity

© Rittal 2025