Rittal – The System.

Faster – better – everywhere.





SK 3237.400 Blue e+ outlet filter

State: 2025-09-02 (Source: rittal.com/ca-en)



SK 3237.400 - Blue e+ outlet filter EMC

The outlet filter is used in conjunction with the associated filter fan to dissipate lost heat out of the enclosures, to ventilate the enclosure and to protect temperature-sensitive components. This is done via the direct supply of ambient air that must be below the permissible temperature inside the enclosure.







Features

SK 3237.400
wall-mounted EMC
Easy filter change thanks to a new opening mechanism on the louvre grille Faster assembly on the enclosure due to optimized snap hooks Tool-free mounting
RAL 7035
Outlet Filters EMC Filter Mat
Width of opening: 92 mm Cut-out height: 92 mm
SK 3237.8xx
Width: 116.5 mm Height: 116.5 mm Depth: 33.2 mm

© Rittal 2025 2

Features

Protection category NEMA	ory NEMA Type 12 with fleece filter	
	Type 3, 3R with fleece filter and hose-proof hood	
Protection category IP to IEC 60	IP 54 with fleece filter	
529	IP 56 with fleece filter and hose-proof hood	
Packaging unit	1 pc(s).	
Net weight	0.075	
Gross weight	0.154	
Customs tariff number	39269097	
EAN	4028177998414	
ETIM 9	EC002513	
ETIM 8	EC002513	
ECLASS 8.0	27180706	

Approvals

Approvals

UL + C-UL - FTTA

UR + C-UR (recognized)

© Rittal 2025 3