## Rittal – The System.

Faster – better – everywhere.





# SK 3311.360 Condenser Unit

State: 2025-10-28 (Source: rittal.com/ca-en)



#### SK 3311.360 - Condenser Unit For LCP DX

The condenser units are needed for operating refrigerant-based LCPs. Depending on the version, the units have an external condenser and ventilator or an additional free cooler. The version with the free cooler is required for the LCP DX/FC combination version. The units are suitable for roof or wall mounting.

#### **Features**

Model No.	SK 3311.360		
Version	Condensers		
Product description	The condenser unit is needed to operate the refrigerant-based LCP and comprises the external condenser and two fans that are speed controlled by means of pressure in the cooling circuit.		
Material	Carbon steel, spray finished		
Surface finish	Powder-coated, galvanized		
Color	RAL 9003		
Supply includes			
	Assembly parts		
Max. cooling output	12 kW		
Temperature control	Speed-Controlled Fan		
Refrigerant/cooling medium	Refrigerant: R410A Cooling medium: -		
Dimensions	Width: 1,303 mm Height: 915 mm Depth: 620 mm		
Total cooling output/number of fan modules	2		
Rated operating voltage	230 V, 1~, 50 Hz/60 Hz		
Packaging unit	1 pc(s).		
Net weight	50		
Gross weight	50		

© Rittal 2025 2

### **Features**

Customs tariff number	84189910
EAN	4028177691438
ETIM 9	EC002515
ETIM 8	EC002515
ECLASS 8.0	27180712

## **Approvals**

|--|--|--|

© Rittal 2025 3