Rittal – The System.

Faster – better – everywhere.





IT INFRASTRUCTURE SOFTWARE & SERVICES

SK 3312.815 Carbon Steel Door

POWER DISTRIBUTION >> CLIMATE CONTROL

State: 2025-07-20 (Source: rittal.com/ca-en)



FRIEDHELM LOH GROUP

ENCLOSURES

SK 3312.815 - Carbon Steel Door for wall-mounted cooling unit Blue e+ IT

For mounting the wall-mounted cooling unit. The cutout in the door is laid out so that the wallmounted cooling unit is attached to the middle of the door.

Features

Model No.	SK 3312.815
Product description	For mounting the wall-mounted cooling unit. The cut-out in the door is laid out so that the wall-mounted cooling unit is attached to the middle of the door.
Material	Carbon steel
Surface finish	Spray-finished
Color	RAL 7035
Supply includes	Rear steel sheet door Comfort handle for semi-cylinders with security lock 3524 E Incl. Assembly components (with fasteners, without hinges)
Suitable for Model No.	3312.810 3186.x3x 3187.x3x 3188.x4x 3189.x4x
Dimensions	Width: 600 mm Height: 2,000 mm
Suitable for	Enclosure type: VX IT VX
Packaging unit	1 pc(s).
Net weight	13
Gross weight	15
EAN	4028177958388
ETIM 9	EC002510

Features

ETIM 8	EC000744
ECLASS 8.0	27182405