

Rittal – The System.

Faster – better – everywhere.



AS 4051.037 Wire storage unit XL

State: 2025-08-03 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



AS 4051.037 - Wire storage unit XL For Wire Terminal

Six wire drums can each be stored on two tiers in a space-saving manner with XL modular wire storage. The central wire storage system enables 12 types of wire to be fed to the wire terminal in a controlled manner via the wire guides. According to the number of wires to be used, the wire storage unit can be extended by up to 36 wire bins to both the left- and right-hand sides via the additional module.

Features

Model No.	AS 4051.037
Product description	Six wire drums can each be stored on two tiers in a space-saving manner with XL modular wire storage. The central wire storage system enables 12 types of wire to be fed to the wire terminal in a controlled manner via the wire guides. According to the number of wires to be used, the wire storage unit can be extended by up to 36 wire bins to both the left- and right-hand sides via the additional module.
Benefits	High flexibility due to modular system.
Technical specifications	For large wire drums with max. dimensions of 500 x 500 mm Controlled routing of the wires to the Wire Terminal WT Max. permissible load, lower floor: 540 kg (corresponds to six wire drums of 90 kg each) Max. permissible load, upper floor: 210 kg (corresponds to six wire drums of 35 kg each)
Supply includes	Central unit
Support area	Width: 1,550 mm Height: 2,250 mm Depth: 1,050 mm
Suitable for Model No.	4051.024 4051.036
Packaging unit	1 pc(s).
Net weight	170
Gross weight	180
Customs tariff number	94032080

Features

EAN	4028177964556
-----	---------------