

Rittal – The System.

Faster – better – everywhere.



AS 4051.100

Wire Station WS 540

State: 2025-05-04 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



AS 4051.100 - Wire Station WS 540

Mobile wiring workstation, height-adjustable and flexible use in the workshop. Allows ergonomic and fatigue-free work across wire processing tasks.



Features

Model No.	AS 4051.100
Version	Standard
Product description	Mobile wiring workstation, height-adjustable and flexible use in the workshop. Allows ergonomic and fatigue-free work across wire processing tasks.
Benefits	<ul style="list-style-type: none">Electronically adjustable desk for the optimum working height, adjustable from 710 – 1250 mmMultiplex worktop, washable and scratch-resistantIdeal solution when combined with the cutting and crimping machines as well as the use of pre-assembled wires through the wire terminalIntegrated scale for quick manual measurementsPrepared to accommodate a monitor for wire processing with Eplan Smart WiringOptionally expandable with shelves for wire cartons, wire rolls and holders for tools and small partsVersatile use in workshop due to rubberized rollersDrawer with shadowboard prepared for tools
Supply includes	<ul style="list-style-type: none">Wiring table with electrical height adjusterConnection cable, 7 mSocket strip, 7-way, with rocker switch
Mounting tip	The mounting stay, vertical, Order No. 4051.106, is required for accessories such as storage box holders, magazine supports, etc.

Features

Input voltage	230 V AC, 50 Hz
Dimensions	Width: 900 mm Height: 1,350 mm Depth: 781 mm
Working height	Working height (min.): 710 mm Working height (max.): 1,205 mm
Height adjustable y/n	Yes
Packaging unit	1 pc(s).
Net weight	95
Gross weight	107
Customs tariff number	94032080
EAN	4028177957480
ETIM 9	EC002224
ETIM 8	EC002224
ECLASS 8.0	21100204

Approvals

Explanations	Declaration of conformity
--------------	---------------------------