

Rittal – The System.

Faster – better – everywhere.



AS 4051.213

Wire feed block WT 12

State: 2025-08-17 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



AS 4051.213 - Wire feed block WT 12

The WT 12 wire feed block is used to feed the wires safely and flexibly to the fully automated wire cabling machine Wire Terminal WT C. The wire feed block can be individually set up via a quick-closing mechanism.



Features

Model No.	AS 4051.213
Version	Plug-in
Product description	The WT 12 wire feed block is used to feed the wires safely and flexibly to the fully automated wire cabling machine Wire Terminal WT C. The wire feed block can be individually set up via a quick-closing mechanism.
Benefits	Safe wire feeding via innovative wire guide system including quick-closing mechanism Wire entry into the wire feed block via safe hose guide Ensures flexible and easy replacement of the wires
Technical specifications	The Wire Terminal can accommodate a total of three wire feed blocks for a maximum of 36 wires 12 wire types can be captured per feed block
Supply includes	Wire feed block WT 12
Suitable for Model No.	4051.205 4051.210
Packaging unit	1 pc(s).
Net weight	0.8
Gross weight	1.1
Customs tariff number	84798997

Features

EAN	4028177981201
-----	---------------