

Rittal – The System.

Faster – better – everywhere.



AS 4052.014 Screwdriver

State: 2026-06-19 (Source: rittal.com/ca-en)

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



AS 4052.014 - Screwdriver Uninsulated

Ergonomic screwdriver which adapts perfectly to the hand, thereby minimising the force required.



Features

| | |
|---------------------------|---|
| Model No. | AS 4052.014 |
| Version | For slotted screws |
| Product description | Ergonomic screwdriver which adapts perfectly to the hand, thereby minimising the force required. |
| Benefits | Handle head with roll-off protection and clear screw marking Black coated blade tip to preserve precision and accuracy of fit Optimum interconnection of hand and handle supports higher torques and longer, fatigue-free working |
| Material | Blade: Chromium molybdenum vanadium alloy Inside of handle: Hard plastic Handle body: elastic, highly flexible plastic |
| Color | Handle: Anthracite and Rittal Power Pink |
| Blade dia. | 7 mm |
| Blade length | 175 mm |
| Blade (width x thickness) | 8 x 1.2 mm |
| Output | SL |
| Handle dia. | 39 mm |
| Handle length | 112 mm |
| Packaging unit | 1 pc(s). |

Features

| | |
|-----------------------|------------------------------------|
| Net weight | 0.13 kg |
| Gross weight | 0.138 kg |
| Customs tariff number | 82054000 |
| ETIM 9 | EC000144 |
| ETIM 8 | EC000158 |
| ECLASS 8.0 | 21040406 |
| Product description | Screwdriver uninsulated SL 8 x 1,2 |
