
Rittal - The System.

Faster - better - everywhere.





TS 4398.500 Support rail 75 x 20 mm

State: 2025-11-14 (Source: rittal.com/ca-en)



TS 4398.500 - Support rail 75 x 20 mm for VX, TS, VX SE

For heavy equipment such as base isolators or transformers.





Features

| Model No. | TS 4398.500 |
|----------------------|--|
| Version | unslotted |
| Product description | For heavy equipment such as base isolators or transformers. |
| Material | Carbon steel |
| Surface finish | Zinc-plated |
| Supply includes | Assembly components |
| Installation options | On the inner mounting level, on VX enclosure profile On the vertical TS enclosure section via snap-on nuts 8800.806 or via adapter rail for VX compatibility, offset in the height, via TS punched rail 25 x 38 mm On the horizontal TS enclosure section: in the width, in the depth On the horizontal VX SE enclosure section in the width at the bottom and top, or in the depth at the bottom and top using snap-or nut 8800.808 |
| Suitable for | Enclosure type: VX TS VX SE Width: = 800 mm Depth: = 800 mm |
| Packaging unit | 4 pc(s). |
| Net weight | 9.152 |
| | |

© Rittal 2025

Features

| Gross weight | 9.68 |
|-------------------------------------|---|
| PCF/VE (cradle-to-gate) | 36.7 kg CO2 eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number | 73269098 |
| EAN | 4028177522794 |
| ETIM 9 | EC001285 |
| ETIM 8 | EC001285 |
| ECLASS 8.0 | 27189261 |

© Rittal 2025 3