

Rittal – The System.

Faster – better – everywhere.



SZ 4934.000

Support rail TH 35/15

State: 2026-05-23 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



SZ 4934.000 - Support rail TH 35/15 to EN 60 715 for VX, TS, VX SE

For snapping on terminals or other components using latching technology as per EN 60 715.

Features

Model No.	SZ 4934.000
Product description	For snapping on terminals or other components using latching technology as per EN 60 715.
Material	Carbon steel
Surface finish	Zinc-plated
Length of support rail	555 mm
installation options AX Base	In base/plinth width 600 mm
Suitable for	Enclosure type: VX TS Width: = 600 mm Depth: = 600 mm
Suitable for	AX base/plinth system
Packaging unit	6 pc(s).
Net weight	1.74 kg
Gross weight	1.98 kg
PCF/VE (cradle-to-gate)	9.57 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	73269098
ETIM 9	EC001285
ETIM 8	EC001285
ECLASS 8.0	27400602

Features

Product description

SZ Support rail TH 35/15 to EN 60 715, for TS, SE, for W/D: 600 mm,
L: 555 mm

Approvals

Explanations

PCF-declaration