

# Rittal – The System.

Faster – better – everywhere.



## SZ 4934.000

## Support rail TH 35/15

State: 2026-07-10 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SZ 4934.000 - Support rail TH 35/15 to EN 60 715 for VX, TS, VX SE

For snapping on terminals or other components using latching technology as per EN 60 715.

## Features

Model No.	SZ 4934.000
Product description	For snapping on terminals or other components using latching technology as per EN 60 715.
Material	Carbon steel
Surface finish	Zinc-plated
Length of support rail	555 mm
installation options AX Base	In base/plinth width 600 mm
Suitable for	Enclosure type: VX TS Width: = 600 mm Depth: = 600 mm
Suitable for	AX base/plinth system
Packaging unit	6 pc(s).
Net weight	1.74 kg
Gross weight	1.98 kg
PCF/VE (cradle-to-gate)	9.57 kg CO2 eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	73269098
ETIM 9	EC001285
ETIM 8	EC001285
ECLASS 8.0	27400602

# Features

---

Product description

SZ Support rail TH 35/15 to EN 60 715, for TS, SE, for W/D: 600 mm,  
L: 555 mm

# Approvals

---

Explanations

PCF-declaration