

# Rittal – The System.

Faster – better – everywhere.



## CM 5001.081 Cable clamp rail

State: 2026-01-20 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# CM 5001.081 - Cable clamp rail C-section, for mounting plates, for VX, TS, VX SE, TP

Provides strain relief for cable entries. The length of the cable clamp rail is matched to the width of the mounting plate. Three different installation situations are possible on the mounting plate with the mounting brackets included with the supply.

## Features

|  |   |
|--|---|
| Model No.  | CM 5001.081   |
| Product description                                  | Provides strain relief for cable entries. The length of the cable clamp rail is matched to the width of the mounting plate. Three different installation situations are possible on the mounting plate with the mounting brackets included with the supply. |
| Material   | Carbon steel  |
| Surface finish                                       | Zinc-plated   |
| Supply includes                                      | Incl. two mounting brackets and assembly screws.  |
| Installation options                                 | straight, at a distance of 23 mm from the mounting plate<br>straight, at a distance of 10 mm from the mounting plate<br>inclined, towards the mounting plate  |
| Installation options VX Base                         | In base/plinth width/depth 800 mm with installation on the base/plinth corner pieces, in conjunction with carbon steel hexagon socket screws  |
| Installation options VX base/plinth, stainless steel | In base/plinth width 800 mm, in conjunction with M6 hexagon socket screws and M6 nuts   |
| Suitable for   | VX base system<br>VX base/plinth system, stainless steel  |
| Dimensions   | Length: 699 mm  |
| Suitable for   | Enclosure type: VX<br>TS<br>VX SE<br>TP<br>Compact enclosure HD<br>Width: = 800 mm  |

# Features

|                                     |  |
|-------------------------------------|--|
| Suitable for width                  | 800 mm   |
| Packaging unit                      | 1 pc(s).   |
| Net weight                          | 0.705  |
| Gross weight                        | 0.8  |
| PCF/VE (cradle-to-gate)             | 1.7 kg CO2 eq (Cat B)  |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| Customs tariff number               | 73269098   |
| EAN                                 | 4028177502956  |
| ETIM 9                              | EC000322   |
| ETIM 8                              | EC000322   |
| ECLASS 8.0                          | 27400604   |