Rittal – The System.

Faster – better – everywhere.





PC 5368.050 PC enclosure system

State: 2025-10-31 (Source: rittal.com/ca-en)



PC 5368.050 - PC enclosure system

Secure accommodation of all PC components, from monitors, to PCs and keyboards. Extremely simple to use and modern design. Complete protection from humidity and dirt, temperature fluctuations and unauthorized access.







Features

| Model No. | PC 5368.050 |
|---------------------|--|
| Version | with glazed door at the top, keyboard drawer and component shelf |
| Product description | Secure accommodation of all PC components, from monitors, to PCs and keyboards. For ultimate ease of operation in a contemporary design. Complete protection from humidity and dirt, temperature fluctuations and unauthorized access. |
| Material | Housing, door, rear door, mounting compartment, supports: carbon steel Handles, decorative trim panels: Plastic Door trim panels: Aluminum Viewing window: Single-pane safety glass |
| Surface finish | Housing and door: Dipcoat primed, powder-coated on the outside, textured paint |
| General color | RAL 7035 |
| Color | Housing, door, decorative trim panels, supports: RAL 7035 Handle: RAL 7015 Monitor field, door center section: RAL 7015 |

© Rittal 2025 2

Features

| Supply includes | Housing, door, rear door |
|---|---|
| | Base Plates |
| | Glazed door, top |
| | Keyboard drawer |
| | Component shelf |
| Dimensions | Width: 600 mm |
| | Height: 1,600 mm |
| | Depth: 836 mm |
| Protection category IP to IEC 60 529 | IP 55 |
| Protection category NEMA | NEMA 12 |
| Type rating according to UL 50E | Type 1 |
| | Type 12 |
| Max. keyboard dimensions (WxHxD) | 480 x 70 x 260 mm |
| Base material | Carbon steel |
| Packaging unit | 1 pc(s). |
| Net weight | 108.5 |
| Gross weight | 110 |
| PCF/VE (cradle-to-gate) | 422.9 kg CO2 eq (Cat B) |
| Information regarding the PCF class | Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared |
| EAN | 4028177959446 |
| ETIM 9 | EC002502 |
| ECLASS 8.0 | 27180501 |
| | |

Approvals

| Approvals | UL + C-UL (listed) |
|--------------|--------------------|
| Certificates | Surface finish |

© Rittal 2025 3

Approvals

Explanations

Declaration of conformity

Declaration of conformity UK

© Rittal 2025