## Rittal – The System.

Faster – better – everywhere.





# DK 5503.790 TS IT Network/Server Enclosure

State: 2025-12-08 (Source: rittal.com/ca-en)



# DK 5503.790 - TS IT Network/Server Enclosure with glazed door, IP 55, empty enclosure

TS IT, sealed, for direct enclosure-specific climate control. Available without 482.6 mm (19") interior installation as an empty enclosure for individual configuration in a range of size variants, and with a protection category of up to IP 55.

#### **Features**

Model No.	DK 5503.790
Material	Carbon steel
	Aluminum
Surface finish	Enclosure frame: Dipcoat-primed
	Interior installation: Dipcoat-primed
	Doors and roof: Dipcoat-primed, powder coated
General color	RAL 7035
Color	Housing frame and panels: RAL 7035
Supply includes	Enclosure frame TS 8 with doors and roof plate
	Glazed aluminum door, front (180°)
	Carbon steel door at the rear, 180° hinges
	Lock front and rear: Comfort handle for semi-cylinders and security
	lock 3524 E
	Roof plate, one-piece, solid
	Base tray with base plate, multi-piece, solid
	Baying seal and sealing kit for base plates (supplied loose)
	Connection accessories for potential equalization with earthing
	point (supplied loose)
	12 x 19" fasteners 1 U, contacting (supplied)
	50 multi-tooth screws, conductive (supplied loose)
	IPPC pallet
Dimensions	Width: 800 mm
	Height: 1,200 mm
	Depth: 800 mm
Design doors	closed, IP 55
Design of 19" mounting level(s)	without 19" interior fitting

© Rittal 2025

2

### Features

Protection category IP to EN 60 529	IP 55 only in conjunction with baying seal or screw-fastened side panels
Note	The door-opening angle may vary depending on site requirements or applications for enclosures with height and depth: 2000 x 1200 mm / 2200 x 1000 mm / 2200 x 1200 mm, the matching side panels are optionally available and are supplied fitted to the enclosure
Base material	Aluminum
Packaging unit	1 pc(s).
Net weight	72
Gross weight	75.8
EAN	4028177702820
E-Number Sweden	E7239934
ETIM 9	EC002499
ECLASS 8.0	27180207

# Approvals

Approvals	UL + C-UL (listed)
Certificates	Surface finish Protection category
Explanations	Declaration of conformity

© Rittal 2025 3