

# Rittal – The System.

Faster – better – everywhere.



## CP 6340.100 Compact Panel

State: 2025-09-09 (Source: [rittal.com/ca-en](https://www.rittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# CP 6340.100 - Compact Panel

Command panel in an elegant design made from extruded aluminium sections. Ideal for small operator panels. Versatile interior installation



## Features

|                     |   |
|---------------------|---|
| Model No.           | CP 6340.100   |
| Version             | With support arm connection 90 x 71 mm for CP 40, steel   |
| Product description | For small operating units built into front panels. The front panel is inserted from the rear and secured with screw clamps. Special front panels with a material thickness of between 2 and 6 mm are possible. Rear panel optionally hinged on the left or right. Roof tray with cut-out and reinforcement for CP 40 support arm system, steel. |
| Material            | Roof tray, base tray: die-cast zinc<br>Rear wall: Aluminum<br>Side parts: Extruded aluminum section<br>Screw cover: Plastic   |
| Surface finish      | Roof tray, base tray, side parts: Powder-coated<br>Rear panel: Natural anodized   |
| Color               | RAL 7024  |
| Supply includes     | Roof tray<br>Base tray<br>Rear panel<br>Side parts<br>Screw cover<br>Seal and screw clamp   |

# Features

|                                      |   |
|--------------------------------------|---|
| Dimensions                           | Width: 241 mm<br>Height: 388 mm<br>Depth: 87 mm |
| Protection category IP to IEC 60 529 | IP 65   |
| Protection category NEMA             | NEMA 12   |
| Suitable for front panel width       | 178 mm  |
| Suitable for front panel height      | 350 mm  |
| Version                              | Service access from rear                        |
| Base material                        | Aluminum  |
| Packaging unit                       | 1 pc(s).  |
| Net weight                           | 3.62  |
| Gross weight                         | 4.667   |
| EAN                                  | 4028177382695                                   |
| ETIM 9                               | EC002504  |
| ECLASS 8.0                           | 27180505  |

# Approvals

|              |   |
|--------------|---|
| Explanations | Declaration of conformity<br>Declaration of conformity UK |
|--------------|---|