Rittal - The System.

Faster – better – everywhere.





DK 7116.500 Fiber Optic Routing Brackets

State: 2025-08-14 (Source: rittal.com/ca-en)



DK 7116.500 - Fiber Optic Routing Brackets

The inner body is grooved and fiber optic shunting or jumper cables can be inserted into these, a rubber ring holds different fiber optic cables with diameters of up to 4.5 mm.







2

Features

| Model No. | DK 7116.500 |
|---------------------|---|
| Product description | Fiber optic shunting or jumper cables can be inserted into the grooves of the inner body. A rubber ring holds different fiber optic cables with diameters of up to 4.5 mm. This ensures strain relief and bending radius. |
| Function principle | The supplied mounting brackets are suitable for universal use. The fiber-optic cables can be routed to the patch panel in all directions in various mounting positions: at the side directly on the patch panel, in front of the patch panel, at the side next to the patch panel and behind the patch panel. |
| Material | Dual compound plastic |
| Color | Exterior: RAL 7035 Interior: RAL 9005 |
| Supply includes | 2 guide brackets 2 rubber rings Baying kit Assembly components |

© Rittal 2025

Features

| Dimensions | Length: 120 mm |
|-----------------------|----------------|
| Packaging unit | 2 pc(s). |
| Net weight | 0.48 |
| Gross weight | 0.488 |
| Customs tariff number | 73269098 |
| EAN | 4028177125025 |
| ETIM 9 | EC000322 |
| ECLASS 8.0 | 27400604 |

© Rittal 2025 3