

# Rittal – The System.

Faster – better – everywhere.



# DK 7178.535

## Patch panel

State: 2026-01-29 (Source: [ittal.com/ca-en](https://www.ittal.com/ca-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# DK 7178.535 - Patch panel for fiber-optic splicing box, lockable

Five different fiberoptic panels for different types of coupling are available. Depending on the selected version and basic size of the panel, the number of locations per panel varies.

## Features

Model No.	DK 7178.535
Product description	Choice of several panels for the splicing boxes with appropriate cutouts for the installation of single or duplex fiberoptic couplings.
Material	Carbon steel
Color	RAL 7035
Number of locations	20
for fiber-optic coupling	E-2000 E-2000 duplex SC LC LC duplex
Note on Model No.:	For E-2000 duplex, only half of the locations are available.
Height units	1 U
Packaging unit	1 pc(s).
Net weight	0.25
Gross weight	0.302
PCF/VE (cradle-to-gate)	1.2 kg CO <sub>2</sub> eq (Cat B)
Information regarding the PCF class	Category B: PCF value (cradle-to-gate) calculated approximately on the basis of the product weight and self-declared
Customs tariff number	94039910
EAN	4028177166851
ETIM 9	EC001129
ECLASS 8.0	19170113